

STAND OUT



EL & EL Wood Products
FIBERGLASS ENTRY DOORS





Smooth Door with Modern Doorglass Inserts
Glass: Clear | Door: BLS-840C3-010-X



EL & EL Wood Products

Millwork that creates distinction.

*Featuring Smooth & Textured
Fiberglass Entry Systems.*

EL & EL Wood Products and Masonite are committed to delivering unsurpassed performance and service in exterior fiberglass doors and glass products. We want to provide not just a door, but a total experience, giving you a complete line of products, and service to elevate the style of your home.

We are your leading source for the latest trend insights and design ideas, delivering distinctive door styles that complement any home and personal taste. From the classic lines of our Heritage Series™ collection to the wide open views of our VistaGrande® series, we offer the breadth of exterior fiberglass door and glass options to meet any performance, material and design need, so you always have the right answer for wherever your designs take you.

Every product we offer is the result of years of research, design, engineering and development that begins at the Masonite Innovation Center in suburban Chicago, the largest facility of its kind in the industry. It is this dedication to a fully integrated design process that sets us apart from the competition and ensures every product we deliver lives up to our exacting standards for quality, consistency and craftsmanship.


YOUR TRUSTED PARTNER

EL & EL Wood Products and Masonite are not just a trusted leader in exterior doors; we are a powerful partner who helps you elevate the role a door plays in your projects—creating more inspiring customer experiences and stronger business results.

EL & EL Wood Products and Masonite

A LITTLE BIT OF HISTORY OF EL & EL MASONITE PARTNERSHIP

Why Masonite Fiberglass Exterior Doors?



- ▲ The appearance of a wood stile and rail door. Improved fiberglass skins with deeper, more pronounced grain.
- ▲ Hardwood LVL stiles with true square wood door edges and a composite edge on the bottom of the door.
- ▲ Most doors stocked with low-E glass and many with 10" ADA Compliant bottom rails.
- ▲ Authentic architectural styles and designs inspired by true millwork craftsmanship.
- ▲ Barrington® doors feature a superior woodgrain texture, with optional wrought iron glass inserts that offer the ultimate in style and durability.
- ▲ Competitively priced.
- ▲ VistaGrande® flushed glazed doors use 1" OD IG glass vs. 5/8" on competitors doors. Warm-edge spacers increasing performance and life expectancy up to 9x.
- ▲ All VistaGrande Miniblind doors are standard Low-E glass.
- ▲ Newly designed VistaGrande® Flush-Glazed doors, in smooth or fir grain textures, offers a 18% wider viewing area and cleaner appearance over traditional glass inserts.
- ▲ Masonite now offers a classic Recessed 3-panel Craftsman door with several beautiful glass options.
- ▲ The improved Masonite is vertically integrated with complete supply chain control using higher quality components and exacting standards for quality, consistency and craftsmanship.

Why Masonite, the company?

- ▲ Leading global designer and manufacturers of interior and exterior doors.
- ▲ Innovative with a full-time team dedicated to future trends 5-years even 10-years out.
- ▲ Using eMerge, the online configurator, quote, change or send a purchase order from your office, your car, in the field or while traveling (*as long as internet service is available*).
- ▲ Masonite strives to continually improve upon their doors performance by engaging their R&D team to discover new technologies and materials that lead to next generation products.
- ▲ All Masonite products go through an extensive testing and certification process for durability, wear, impact resistance and overall performance.

 Made in America

 **MASONITE®**
DOORS

TABLE OF CONTENTS

EL & EL PREFINISH

Standard Textured Fiberglass Stain Colors.....	6
Standard Smooth Fiberglass Paint Colors.....	7

MASONITE FIBERGLASS DOORS

Fiberglass Doors Distinct Features.....	8
---	---

HOW TO READ DOOR CODE

Door Part Number Key.....	9
---------------------------	---

MASONITE FIBERGLASS DOOR SKINS

Belleville® VistaGrande® Heritage Series™ Barrington®	10
---	----

DOOR STYLE QUICK REFERENCE

Belleville	12
Heritage Series.....	13
Modern	13
Barrington Sierra & Barrington Flagstaff.....	14
VistaGrande Full-Lite	15
VistaGrande 3/4 Lite	16
VistaGrande 1/2 Lite	17

VISTAGRANDE® VS STANDARD LITE KIT

Lite Kit – Comparison.....	18
----------------------------	----

DUTCH DOOR

Dutch Door – Overview	19
-----------------------------	----

SIMULATED DIVIDED LIGHT (SDL)

SDL Overview	20
--------------------	----

TEXTURED GLASS OPTIONS

Textured Glass Options	21
------------------------------	----

MODERN DOORS

Modern Doorglass Inserts	22
Modern Doors with Decorative Glass.....	24
Modern Doors with 8" Squares	26
Modern Door with Sidelite Insert.....	28
Modern Grooved Doors.....	30

VISTAGRANDE® (FLUSH-GLAZED)

VistaGrande Overview.....	32
Clear & Low-E.....	34
Textured Glass.....	36
6/8 Grids Between Glass.....	38
8/0 Grids Between Glass.....	42
6/8 SDL Bars.....	44
8/0 SDL Bars.....	46
Modern Horizontal SDL Bars	48
VistaGrande - Mini Blinds.....	50

GLASS INSERTS

Mini Blinds & Vents Overview.....	52
Clear & Low-E	54
Craftsman Clear Low-E.....	56
Craftsman Clear Low-E SDL	58
Textured Glass.....	60

PANEL DOORS

In-Stock Doors without Glass	62
------------------------------------	----

BARRINGTON DOORS

Barrington Flagstaff®	64
Barrington Sierra®	65

DECORATIVE GLASS FAMILIES

Adelaide, Artisan, Beverly, Castellon.....	67
Cruz, Dahlia, Element, Frontier	68
Harlow, Iron Springs, Kordella, Marco	69
Modena, Naples, Niagara, Panama.....	70
Riverside, Royston, Sophia, Tanglewood.....	71

DECORATIVE GLASS SLABS

Adelaide	72
Artisan	74
Beverly.....	76
Castellon	78
Craftsman Collection - Overview	80
Craftsman - Adelaide.....	82
Craftsman - Artisan, Beverly, Castellon, Element.....	83
Craftsman - Frontier	84
Craftsman - Marco, Naples, Riverside, Royston.....	85
Cruz (661).....	86
Element (328)	88
Frontier (612).....	90
Harlow (52).....	92
Kordella (686).....	94
Marco (331).....	96
Modena (12).....	98
Naples (366)	100
Niagara (64) or (65)	102
Panama (724) or (725)	104
Riverside (56)	106
Royston (34).....	108
Sophia (39) or (40).....	110
Wrought Iron – Dahlia (49) Barrington.....	112
Wrought Iron – Iron Springs (918) Barrington.....	114
Wrought Iron – Iron Springs (918) Belleville.....	116
Wrought Iron – Tanglewood (926) Barrington.....	118
Wrought Iron – Tanglewood (926) Belleville.....	120

RUSTIC DOOR – DECORATIVE OPTIONS

Speakeasy, Clavos, Straps	123
---------------------------------	-----

5/0 ENTRY SYSTEMS

Cross Reference	124
Beverly (42) Entry	126
Castellon (47) Entry.....	127
Chord (115) Entry.....	128
Double Water (113) Entry	129
Element (328) Entry	130
Harlow (52) Entry.....	131
Iron Springs (918) Entry	132
Marco (331) Entry.....	133
Modena (12) Entry.....	134
Niagara (64) or (65) Entry	135
Panama (725) or (724) Entry	136
Pear (116) Entry.....	137
Pearl (140) Entry.....	138
Riverside (56) Entry.....	139
Tanglewood (926) Entry.....	140

DOOR DETAILS

How to Measure Your Door	142
Find your door handing	142
Prehung net unit measurements.....	143
Quality & Efficiency.....	144
Energy Star Details.....	145
Hinge Options.....	146
About Composite Frames.....	147

MASONITE STC COMPLIANT / FIRE-RATED / ADA

STC (Acoustical Performance)	148
Fire-Rated & ADA Overview	149
Fire Ratings & ADA	150

WARRANTIES

Exterior Door & Glass Limited Warranty	152
Prefinish Residential Warranty	154

COVER PHOTO:

Double Door, VistaGrande textured glass with Modern Horizontal SDL Bars
Door Glass: Double Water | Door: VSG-926-113-X | Modern Bars: DSDL3.5-4



EL & EL Wood Products

Millwork that creates distinction.

Standard Textured Fiberglass Door Stain Colors

Have EL & EL stain your textured fiberglass door today! We have an array of beautiful stain colors to choose from.



Barrington Sierra® 2 Panel Arch Plank Door: BSP-2P

Stain Colors for Oak, Fir and Mahogany Textured Doors

Oak Grain									
	English Walnut	Pecan	Medium Oak	Moorish Teak	Antique Cherry	Red Mahogany	Antique Oak	Walnut	Brown Mahogany
Fir Grain									
	English Walnut	Pecan	Medium Oak	Moorish Teak	Antique Cherry	Red Mahogany	Antique Oak	Walnut	Brown Mahogany
Mahogany									
	English Walnut	Pecan	Medium Oak	Moorish Teak	Antique Cherry	Red Mahogany	Antique Oak	Walnut	Brown Mahogany


Why doesn't the color of my door look exactly like it does in the catalog or website?

Due to the limitations of photography, there is no guarantee that your product's colors will have the same appearance as they do in print or online. We always recommend you see an actual sample before deciding on a color choice. Contact a EL & EL dealer to request a color chip sample.


Standard Paint Colors

EL & EL will paint any of our smooth or textured fiberglass doors.


All you have to do is choose from the wide variety of colors we have to offer!



Salty Dog




Blue



Cranberry



Green



Brown



Sand



Pewter Cast



Beige



Black



White




Window White




Patio White

Contemporary Classic Paint Colors

Exciting in-stock colors designed to compliment our Contemporary Classics Collection, but use them on ANY EL & EL Smooth or Textured Fiberglass door to add a pop of color, no matter the style of your home!



Electric Glow



Orange Jewel

Custom color options also available.



Red Hot



Rare Turquoise



Midnight Blush



In the Tropics



*Smooth Belleville Door with
Modern Doorglass Inserts
Door: BLS-840C3-Frosted-X*

Fiberglass Doors Distinct Features



With high-impact compression-molded skins that will not splinter, dent, rot or rust, our Masonite smooth and textured fiberglass doors are virtually maintenance free. With LVL Top Rail & Stiles, and a high strength composite bottom rail, the Masonite fiberglass door, from EL & EL Wood Products, when partnered with our composite frame system, will not only stand up to the elements, but will also provide years of satisfaction.



LIMITED LIFETIME WARRANTY

Included on all Masonite doors, for years upon years of beauty, comfort & security.

EL & EL PAINT & STAIN FINISHING

Enhance the beauty and value of your door with any of our quality coatings, for a completely finished & ready-to-install door system. (Optional) Prefinished doors come with up to a 15 Year warranty.



COMPOSITE FRAMES

Ensures door frame and moulding will not absorb moisture and resists splitting, rotting and insect damage.

Available in; Smooth Primed, Oak Grain, Fir Grain, and Mahogany Grain.

SIMPLE SOLUTION® CORNER PADS

Added protection against water and air infiltration.



Z-SERIES® ADJUSTABLE CAP SILL

Provides an improved barrier against air and water intrusion.

CONTINUOUS SIDELITE SILL

Features a high dam barrier for critical weather tight protection where the jambs meet the sill.

HIGH DENSITY POLYURETHANE FOAM

Provides 5 times the insulation value of wood doors.

HIGH PERFORMANCE SWEEP

Provides a tight seal against drafts.



Door Codes Defined

DOOR MATERIAL

BMT

GLASS SHAPE & SIZE

404

GLASS DESIGN & CAMING

331

VISIBLE DOOR PANELS

1

SIDELITE MATERIAL

BMTSL

152

331

X

SL = sidelite



BMT-404-331-1
(2⁸ 2¹⁰ 3⁰)

BMTSL-152-331-X
(1⁰ 1²)

Door Widths Available →

DOOR MATERIAL

	BMT Belleville® mahogany fiberglass
	BFT Belleville® fir fiberglass
	BLT Belleville® oak fiberglass
	BLS Belleville® smooth fiberglass
	BSP Barrington® Fiberglass
	BSN Sierra® No Plank fiberglass
	BFS Flagstaff® fiberglass
	Heritage Series™ Craftsman fiberglass
	HFT Fir textured fiberglass
	HGS Smooth fiberglass
	VSG VistaGrande® Flush-Glazed fiberglass
	VFT VistaGrande® Fir Textured fiberglass

GLASS LITE SHAPE & SIZE

Rectangle Lite			
106	22" x 36"	426	26" x 48"
108	20" x 20"	450	8" x 48"
114	14" x 64"	464	24" x 64"
120	20" x 64"	701	24" x 80"
122	22" x 64"	700	28" x 80"
126	26" x 36"	617	8" x 17"
129	8" x 36"	680	8" x 6"
151	8" x 64"	682	8" x 8"
152	7" x 64"	626	26" x 74"
160	20" x 36"	726	26" x 68"
217	22" x 17"	810	22" x 80"
228	22" x 10"	814	14" x 80"
246	24" x 36"	820	20" x 80"
404	22" x 48"	826	26" x 80"
406	24" x 47"	852	8" x 80"
416	28" x 47"	926	26" x 64"

Camber-Top Lite	
107	22" x 37-1/2"
247	24" x 36"
407	24" x 47"
417	28" x 47"
465	24" x 64"
702	24" x 80"

Round-Top Lite	
201	8" x 58"
203	8" x 42"

Camber-Top Fan Lite	
137	22" x 10"

Fan Lite	
135	22" x 10"

GLASS DESIGN

21	Adelaide	AB
26	Artisan	AB
42	Beverly	AB
47	Castellon	PL
115	Chord	T
661	Cruz	AB
49	Dahlia	WR
113	Double Water	T
328	Element	AB
312	Frontier	AB
52	Harlow	AB
918	Iron Springs	WR
686	Kordella	AB
331	Marco	AB
778	Marquise	PL
12	Modena	PL
366	Naples	AB
64	Niagara	AB
65	Niagara	B
116	Pear	T
140	Pearl	T
724	Panama	B
725	Panama	PL
119	Quill	T
56	Riverside	SE
61	Rooftop	T
34	Royston	AB
39	Sophia	AB
40	Sophia	PL
926	Tanglewood	WR

GLASS CAMING & PRIVACY

WR Wrought Iron

AB Antique Black

PL Platinum

B Brass

T Textured

PRIVACY RATING

1 Least Obscure

3

10 Most Obscure

MANUFACTURE

MASONITE DOORS

TRIMLITE

VISIBLE DOOR PANELS

X

1

2

4

7

Sample selection of door panels shown



EL & EL Wood Products


Millwork that creates distinction.

Fiberglass Door Collections




Barrington Sierra Plank | Door: BSP-1R with Clavos

BELLEVILLE®
FIBERGLASS



Mahogany



Oak



Fir



Smooth

▲ Belleville® doors feature distinct architectural details, a reinforced lock area and thousands of customizable glass and panel combinations to choose from.

Fiberglass Door Collections

VISTAGRANDE® FLUSH-GLAZED FIBERGLASS




Fir



Smooth

- ▲ VistaGrande® Flush-Glazed doors offer a wider viewing area and cleaner appearance over traditional glass inserts. Stile and rail features provide an authentic wood door look.

HERITAGE SERIES™ FIBERGLASS




Fir



Smooth

- ▲ Heritage Series® Craftsman door designs are available as opaque applications in both 6'8" and 8'0" applications to provide privacy and security or add one of the designs from our Craftsman decorative glass collection.


BARRINGTON® FIBERGLASS



Sierra Plank



Sierra Slab



Flagstaff

- ▲ Featuring superior woodgrain texture, and wider glass, Barrington® doors offer the ultimate in style and durability.

NOTE: Fiberglass Door colors throughout this catalog are shown unfinished and the colors shown may not accurately represent the actual primed color.

Masonite®, "Open to extraordinary..." AvantGuard®, Barrington®, Belleville®, Cheyenne®, Heritage Series®, Fast-Frame®, Flagstaff®, Sierra®, Storm Guard®, Masonite Expo®, Masonite Classic®, Masonite Iron®, Masonite Linea®, Masonite Textures®, Masonite Panels®, Chelsea®, Cruz®, Cuzco®, Element®, Frontier®, Georgian®, Iron Springs®, Kordella®, Madrid®, Marco®, Naples®, Panama®, Pearl®, Quill®, Tanglewood®, Max®, Max. XPress Configurator®, and VistaGrande® are trademarks of Masonite International Corporation. Please check with your EL & EL Wood Products Sales Person for current warranty terms and conditions. Our continuing program of product improvement makes specification, design and product detail subject to change without notice.



EL & EL Wood Products


Millwork that creates distinction.

Belleville® Fiberglass



Glass: Clear Modern Center | Door: BLT-151C-010-X

See Belleville doors starting on page: 72



FLUSH
Smooth / Oak / 20 min
6/8, 7/0, 8/0



2-PANEL SQUARE TOP
Smooth / Oak / 20 min
6/8, 8/0



2-PANEL ROMAN
Smooth / 20 min
6/8, 8/0



2-PANEL CHEYENNE
Smooth / 20 min
6/8, 8/0



4-PANEL
Smooth / Oak / 20 min
6/8, 8/0



6-PANEL
Smooth / Fir / Oak
Mahogany / 20 min.
6/8, 8/0



BLANK TOP 4-PANEL
Smooth / Oak Textured
6/8



PARLIAMENT
Smooth / Oak /
Mahogany
6/8, 8/0



HOLLISTER
Smooth / Fir / Mahogany
6/8, 8/0



ARCH TOP 3-PANEL
Smooth / Oak Textured
6/8, 8/0



EL & EL Wood Products

Millwork that creates distinction.

Heritage Collection™ & Modern Doors




Glass: Pearl | Door: HFT-217-116-2-SDLC6



Glass: Pearl | Door: BLS-151L1-140-X

See Heritage Collection doors starting on page: 80
See Modern doors starting on page: 24



CRAFTSMAN
Smooth / Fir Textured
6/8, 8/0




CRAFTSMAN SIDELITE
Smooth / Fir Textured
6/8, 8/0



MODERN 1-LITE
Smooth / Oak Textured
6/8, 8/0



MODERN 2-LITE
Smooth / Oak Textured
6/8, 8/0



**MODERN GROOVE
5 HORIZONTAL**
Smooth / Oak Textured
6/8, 8/0



**MODERN GROOVE
5 HORIZONTAL
1 VERTICAL**
Smooth / Oak Textured
6/8, 8/0



**MODERN GROOVE
5 HORIZONTAL
2 VERTICAL**
Smooth / Oak Textured
6/8, 8/0



EL & EL Wood Products

Millwork that creates distinction.

Barrington® Sierra® & Barrington® Flagstaff®



Sidelite: BFS-154-116-X | Door: BFS-P

See Barrington doors starting on page: 64, 112


2-PANEL
Camber Top
6/8, 8/0



2-PANEL PLANK
Camber Top
6/8, 8/0



1-PANEL PLANK
Camber Top
6/8, 8/0



FLAGSTAFF PLANK
6/8, 8/0



2-PANEL
Camber & Arch Top
6/8, 8/0



2-PANEL PLANK
Camber & Arch Top
6/8, 8/0



1-PANEL PLANK
Camber & Arch Top
6/8, 8/0



FULL LITE
Sidelite
6/8, 8/0





EL & EL Wood Products

Millwork that creates distinction.

VistaGrande® Full-Lite Smooth & Fir Textured



Glass: Clear | Door: VSG-122-010-X


See VistaGrande Full-Lite doors starting on page:35



1-LITE
Smooth / Fir Textured
6/8, 7/0, 7/6, 8/0



6-LITE
Smooth / Fir Textured
6/8, 8/0



10-LITE
Smooth / Fir Textured
6/8, 8/0




9-LITE PRAIRIE
Smooth / Fir Textured
6/8, 8/0



3-LITE CRAFTSMAN
Smooth / Fir Textured
6/8, 8/0



4-LITE CRAFTSMAN
Smooth / Fir Textured
6/8, 8/0



12-LITE
Smooth / Fir Textured
8/0



MINI BLINDS
Smooth / Fir Textured
6/8, 8/0



EL & EL Wood Products

Millwork that creates distinction.

VistaGrande® ¾ Lite Smooth & Fir Textured



Glass: Pearl | Door: VSG-426-140-1
Modern Bars: DSLD3.5-3

See VistaGrande ¾ Lite doors starting on page: 35
See VistaGrande Modern doors starting on page: 48

¾-LITE
Smooth / Fir Textured
6/8, 8/0

6-LITE
Smooth / Fir Textured
6/8, 8/0

8-LITE
Smooth / Fir Textured
6/8, 8/0

9-LITE PRAIRIE
Smooth / Fir Textured
6/8, 8/0

3-LITE CRAFTSMAN
Smooth / Fir Textured
6/8, 8/0

4-LITE CRAFTSMAN
Smooth / Fir Textured
6/8, 8/0

MINI BLINDS
Smooth / Fir Textured
6/8, 8/0



EL & EL Wood Products


Millwork that creates distinction.

VistaGrande® 1/2 Lite Smooth & Fir Textured



Glass: Clear | Door: VFT-106-010-1

See VistaGrande 1/2 Lite doors starting on page: 35






EL & EL Wood Products

Millwork that creates distinction.

VistaGrande® vs. Standard Lite Kit



Glass: Clear | Door: VFT-926-04C-X



Glass: Clear | Door: BMT-106-010-2P

THE BIG DECISION...

EL & EL offers a variety of glass options in both Flush-Glazed and Standard Lite Kit Inserts. Obscurity levels range from glass that lets in plenty of light and visibility to options that keep your privacy their top concern. Giving you complete control of the customization of your entry door.

The first and biggest decision being "Do I want Flush-Glazed glass or a lite kit insert?"

VistaGrande (Flush-Glazed) Profile

- ▲ Glass Permanently installed
- ▲ 18% wider glass area, than Standard Lite Kit.
- ▲ A limited selection of glass styles available (page 32-50)
- ▲ Add smooth SDL Bars - for more style options (page 44-49)
- ▲ Non-Replaceable - When Glass is cracked or broken entire door panel must be replaced
- ▲ Clean Flush Look
- ▲ More energy efficient door glass, than Standard Lite Kit.



Standard Lite Kit Insert Profile

- ▲ Glass installed into multi part lite kit
- ▲ A large selection of decorative glass styles available (page 67-120)
- ▲ Replaceable - Broken Lite Kits can be simply unscrewed or unclipped and replaced with a new unit.
- ▲ Many of the glass frames have screws & plugs.





EL & EL Wood Products

Millwork that creates distinction.

Dutch Door Conversion




Glass: Beverly (42) | Door: BLS-106-42-2 Dutch

DOUBLE YOUR DOOR

Want Fiberglass door durability with real old world charm? We can help with our dutch door program at EL & EL.

We take a Standard Fiberglass door and convert it into a wonderfully timeless dutch door allowing fresh air and light in, while simultaneously maintaining the lower barrier against dirt, dust and unwanted debris. When closed your door maintains it's seal with weatherstripping strategically placed to keep the elements outside.



Belleville Oak Grain Texture Fiberglass Dutch Door
Glass: Castellon (47) | Door: BLT-106-47-2 Dutch



EL & EL Wood Products

Millwork that creates distinction.

Simulated Divided Light



Glass: Clear with SDL | Door: VSG-426-S06LE-1

SDL (SIMULATED DIVIDED LIGHT)

Traditional SDL Bars

EL & EL offers a revolutionary SDL system that is a first in the industry. Our extruded aluminum SDL bars that will not shrink, crack or warp in any of the hot or humid climates of the Western Regions of the country.

- ▲ 1" Fixed Extruded Aluminum Grill adhered on the outside of the glass
- ▲ Low-E glass options available
- ▲ Available for smooth doors only.
- ▲ Traditional style with modern glass technology
- ▲ Many styles options available
- ▲ Can be painted to match any color.





VSG / SDL Grids

Modern Wide SDL Bars

Our extruded aluminum SDL bars are also available in Wide options, that share the same durability as the 1" counterparts. These modern wide SDL bars, made from extruded aluminum, are unique to EL & EL Wood Products.

These products are unique to EL & EL Wood Products, we make sure that our offerings are not only complete but made of the highest quality available for your home.

- ▲ 1 1/2", 2 1/2", 3 1/2", 4 1/2" Wide Extruded Aluminum bars are adhered on the outside of the glass
- ▲ Low-E glass options available
- ▲ Available for smooth doors only.
- ▲ Modern style & modern glass technology
- ▲ Available in many configurations
- ▲ Can be painted to match any color.




VSG / Wide SDL Bars
(2 1/2" Bar Shown)

TEXTURED GLASS OPTIONS

EL & EL Wood Products offers a variety of textured glass options. Obscurity levels range from glass that

lets in plenty of light and definable detail to obscurity options offering fully obscured level of privacy.

PRIVACY RATING



Belleville® Smooth Modern Door
Double Water Glass / Door BLS-217C3-113-X



Double Water (113)



Belleville® Mahogany Textured
with Pearl® Glass / Door BMT-122-140-X



Pearl® (140)



VistaGrande® 3/4 Lite Smooth Flush-Glazed with Chord Glass
and Applied 3-1/2" SDL Bars / Door VSG-426-115-S03W-1



Chord (115)



Belleville® Fir Textured with Quill™ Glass
Door BFT-122-119-X / Sidelites BFTSL-152-119-X



Quill™ (119)



Belleville® Smooth with Pear Glass Modern Door Textured Insert
BLS-217C3-116-X



Pear (116)



Belleville® Smooth Door, Modern Doorglass Inserts
with Rooftop Glass / Door BLS-122-61-X



Rooftop® (61)

Modern Doorglass Inserts



Belleville Smooth - Modern Door with Modern Doorglass Inserts
Glass: Clear | Door: BLS-842C6-010-X

Modern Doorglass Inserts

You choose the glass and the layout. Be your own Modern door designer.
Modern Inserts feature a low profile frame, with a straight-grain textured frame with Screws & Plugs



—842C5-010-X
(2⁸ 2¹⁰ 3⁰)




—842D3-Cubed-X
(2⁰ 2⁴ 2⁶ 2⁸ 2¹⁰ 3⁰)




694
7" x 64"



—694L1-Clear-X
(2⁰ 2⁴ 2⁶ 2⁸ 2¹⁰ 3⁰)



—651C4-Circuit-X
(2⁸ 2¹⁰ 3⁰)



842
22" x 3-1/2"



651
22" x 10"



840
12" x 12"

PRIVACY RATING

1
10
Least Obscure
Most Obscure

Clear
010

Frosted
9

Cubed
9

Circuit
9

Clear (010)
Clear glass stands the test of time when it comes to architectural styles and puts a focus on inside and outside views.


Frosted
Frosted glass blends privacy with natural light, something that will find itself at home in any architectural style

Cubed
Cubed glass brings to life the symmetry and geometric patterns found in the architecture of the 1920s and 1930s. Grid patterns, glass blocks, and structure are celebrated in this glass style.

Circuit
Mid-century Modern, Art Deco, and Contemporary all left their imprint on Circuit glass. Its eclectic styling with silkscreen glass and clear design elements suits a range of architectural home styles



—842C6-Frosted-X
(2⁸ 2¹⁰ 3⁰)



—651C5-Circuit-X
(2⁸ 2¹⁰ 3⁰)




—840C4-Frosted-X
(2⁰ 2⁴ 2⁶ 2⁸ 2¹⁰ 3⁰)

Modern Low Profile Screw & Plug Frame



Modern Doors with Textured Glass




Belleville Smooth - Modern Door with Masonite Textured Glass Insert
Glass: Double Water (113) | Door: BLS-217C3-113-X

Modern Doors with Textured Glass Inserts

Solutions Series Modern Snap Together Frame has a straight-grain textured for painting or staining

Solutions Series™ Snap Together Frame




(No Screws or Plugs)

3-Lite




-217C3-140-X
(2⁸ 2¹⁰ 3⁰)

4-Lite



-228C4-115-X
(2⁸ 2¹⁰ 3⁰)

5-Lite










-228C5-115-X
(2⁸ 2¹⁰ 3⁰)

PRIVACY RATING	
1 Least Obscure	10 Most Obscure
	1
Clear	010
	9
Chord	115
	9
Double Water	113
	7
Modena	12
	9
Pear	116
	9
Pearl	140
	9
Quill	119
	9
Rooftop	61

BLS Smooth **BLT** Oak Grain Textured **BFT** Fir Textured **BMT** Mahogany Textured

note:
All Doorglass called out as 3/0 sizing


Modern Doors with 8" Squares

 Clear 010	 Chord 115	 Double Water 113	 Pear 116
 Pearl 140	 Quill 119	 Rooftop 61	

PRIVACY RATING

1 ————— 9 ————— 10
Least Obscure Most Obscure

Solutions Series™ Snap Together Frame



Belleville Oak Grain - Modern Door
with 8" Clear Square Glass
Door: BLT-682H5-010-X

Modern Doors with Sidelite Insert




Belleville Smooth - Modern Door with Sidelite Insert
Glass: Chord | Door: BLS-151H-115-X

Modern Doors with Sidelite Insert

CUSTOM VERTICAL SIDELITE INSERT DOOR & SIDELITE
(These Lite Kits use the Heritage Series™ Screw & Plug Frame)









Heritage Series™
Screw & Plug
Frame

*Tan frame has a straight-grain textured for painting or staining



*BLS 8/0 Only.


BLS Smooth BLT Oak Grain Textured BFT Fir Textured BMT Mahogany Textured

PRIVACY RATING	
1 Least Obscure	10 Most Obscure
	
Clear	010
	
Chord	115
	
Double Water	113
	
Modena	12
	
Pear	116
	
Pearl	140
	
Quill	119
	
Rooftop	61

note:

All Doorglass called out as 3/0 sizing




Modern Grooved Doors



Modern Door with Grooves | Door: BLSF-X5H1VL

Modern Grooved Doors

WEST END® COLLECTION INSPIRED GROOVED DOORS
Particleboard Core Fiberglass Door
Grooves on Oak will not have texture






VistaGrande Smooth Door
Glass: Clear | Door: VSG-426-010-1-DSDL3.5-2

VistaGrande® Flush-Glazed Doors


Bring the Outdoors in

Instantly brighten any space with VistaGrande Flush-Glazed doors.

Available in a number of glass options, VistaGrande doors offer a wider viewing area and cleaner appearance over traditional glass inserts.



VSG / Clear Glass



VFT / Clear Glass




VSG / Textured Glass




VFT / Textured Glass

Our “GBG” (Grids between the Glass) offerings complement clear glass designs with a comprehensive array of design choices to truly customize your VistaGrande door with flat tempered glass for a smooth, easy-to-clean surface.

Like GBG, Our “SDL” (Simulated Divided Lite) doors capture the elegance of a true divided lite door. They are installed directly on the surface of the glass, using Extruded Smooth Aluminum, giving your VistaGrande Door a truly traditional appearance, with lasting quality.




VSG / Internal Grids



VFT / Internal Grids



VSG / SDL Grids



VSG / Wide SDL Bars
(2½" Bar Shown)

Imagine a blind you don't have to dust or clean. Our blinds are built into efficient sealed units protected with tempered Low-E glass. A single touch easily opens and closes blinds for privacy and light exposure.



VSG / Mini Blinds



VFT / Tan Mini Blinds

VistaGrande® - Clear & Low-E



VistaGrande Double Door
Glass: Clear | Door: VSG-926-010-X



6/8 & 8/0

Clear



____-926-010C-X
(2° 2° 2° 2° 3°)



____-152-010C-X
(10° 1° 12°)



____-826-010C-X
(2° 2° 2° 2° 3°)



____-852-010C-X
(10° 1° 12°)

note:

All Doorglass called out as 3/0 sizing



Smooth



Fir Textured



Sidelite Smooth




Sidelite Fir Textured

VistaGrande® Low-E

Low-E Argon Filled Full Lite Glass options

*3/0x6/8 & 3/0x8/0 Full-Lite doors are available as a Light Commercial ADA Door (Laminated or Clear Low-E Glass) with blocking for Panic Hardware & Closer (ask your dealer for more info)




VSG Smooth VFT Fir Textured VSGSL Sidelite Smooth VFTSL Sidelite Fir Textured

note:
All Doorglass called out as 3/0 sizing

VistaGrande® - Textured Glass

VistaGrande Double Door
Glass: Pearl
Door: VFT-826-140-X



Pearl 140

In Stock

8/0

Low-E



-826-140-X
(2° 2° 2° 2° 3°)



-852-140-X
(1° 12°)



-926-140-1
(2° 2° 2° 3°)



-151-140-1
(1° 12°)

6/8

Low-E



-926-140-X
(2° 2° 2° 2° 3°)



-152-140-X
(10° 1° 12°)



-126-140-1
(2° 2° 3°)



-426-140-1
(2° 2° 2° 3°)



-450-140-1
(1° 12°)

All Doorglass called out as 3/0 sizing

note:



Smooth



Fir Textured





Sidelite Smooth



Sidelite Fir Textured

VistaGrande® Flush-Glazed Textured Glass

Low-E Argon Filled Textured Glass



VistaGrande® - Grids Between Glass



VistaGrande GBG Door
Glass: Clear | Door: VSG-420-06ILE-1

VistaGrande® Grids 6⁸

Flat 7/8" Grids Between the Glass Low-E Argon Filled Glass Options
VFT Doors & Sidelites are Special Order



—-926-03CLE-X
(2⁶ 3⁰)



—-926-04CLE-X
(2⁶ 3⁰)




—-152-03CLE-X
(1⁰ 1²)




—-126-03CLE-1
(2⁸ 2¹⁰ 3⁰)



—-126-04CLE-1
(2⁸ 2¹⁰ 3⁰)



—-426-03CLE-1
(2⁶ 3⁰)



—-426-04CLE-1
(2⁶ 3⁰)



—-450-03CLE-X
(1⁰ 1²)



—-126-09PLE-1
(2⁸ 2¹⁰ 3⁰)



—-926-09PLE-X
(2⁶ 3⁰)



—-152-06PLE-X
(1⁰ 1²)



—-426-09PLE-1
(2⁶ 3⁰)



—-450-06PLE-1
(1⁰ 1²)

VSG Smooth **VFT** Fir Textured **VSGSL** Sidelite Smooth **VFTSL** Sidelite Fir Textured

note:
All Doorglass called out as 3/0 sizing

VistaGrande® - Grids Between Glass



VistaGrande® Grids 6⁸

Flat 7/8" Grids Between the Glass Low-E Argon Filled Glass Options
VFT Doors & Sidelites are Special Order



-126-04ILE-1
(2⁸ 2¹⁰ 3⁰)



-126-06ILE-1
(2⁸ 2¹⁰ 3⁰)



-126-09ILE-1
(2⁸ 2¹⁰ 3⁰)



-926-06ILE-X
(2⁶ 3⁰)



-152-03ILE-X
(1⁰ 1²)



-426-06ILE-1
(2⁶ 3⁰)



-450-03ILE-1
(1⁰ 1²)




-926-10ILE-X
(2⁶ 3⁰)



-152-05ILE-X
(1⁰ 1²)



-426-08ILE-1
(2⁶ 3⁰)



-450-04ILE-1
(1⁰ 1²)

VSG Smooth VFT Fir Textured VSGSL Sidelite Smooth VFTSL Sidelite Fir Textured

note:
All Doorglass called out as 3/0 sizing

VistaGrande® - Grids Between Glass



VistaGrande GBG Double Door
Glass: Clear | Door: VSG-926-09PLE-X



-826-06ILE-X
(2⁶ 3⁰)



-852-03ILE-X
(1⁰ 12)



-926-06ILE-1
(2⁶ 3⁰)



-151-03ILE-1
(1⁰ 12)



-926-08ILE-1
(2⁶ 3⁰)





-151-04ILE-1
(1⁰ 12)

note:
All Doorglass called out as 3/0 sizing

VSG Smooth **VFT** Fir Textured **VSGSL** Sidelite Smooth **VFTSL** Sidelite Fir Textured

VistaGrande® Grids 8⁰

Flat 7/8" Grids Between the Glass Low-E Argon Filled Glass Options
VFT Doors & Sidelites are Special Order



VSG Smooth **VFT** Fir Textured **VSGSL** Sidelite Smooth **VFTSL** Sidelite Fir Textured

note:
All Doorglass called out as 3/0 sizing

VistaGrande® - SDL Bars on Glass



VistaGrande® SDL Bars 6⁸

Beveled 1" Extruded Aluminum SDL Bars Applied to the Glass, Low-E Argon Filled Glass Options.

Extruded aluminum SDL bars that will not crack and warp
in the hot or humid climates of the West Coast.

(Not available on Fir Textured doors, GBG doors or Mini Blinds)



VSG-126-010LE-1-SDL1
(2⁸ 2¹⁰ 3⁰)



VSG-126-010LE-1-SDL2
(2⁸ 2¹⁰ 3⁰)




VSG-126-010LE-1-SDL3
(2⁸ 2¹⁰ 3⁰)



VSG-426-010LE-1-SDL4
(2⁶ 3⁰)



VSGSL-450-010LE-1-SDL5
(1⁰ 1²)



VSG-426-010LE-1-SDL6
(2⁶ 3⁰)



VSGSL-450-010LE-1-SDL7
(1⁰ 1²)



VSG-426-010LE-1-SDL8
(2⁶ 3⁰)



VSGSL-450-010LE-1-SDL9
(1⁰ 1²)



VSG-122-010LE-X-SDL10
(2⁶ 3⁰)



VSGSL-152-010LE-X-SDL11
(1⁰ 1²)



VSG-122-010LE-X-SDL12
(2⁶ 3⁰)



VSGSL-152-010LE-X-SDL13
(1⁰ 1²)



VSG-122-010LE-X-SDL14
(2⁶ 3⁰)



VSGSL-152-010LE-X-SDL15
(1⁰ 1²)




Smooth



Sidelite Smooth

note:
All Doorglass called out as 3/0 sizing

VistaGrande® - SDL Bars on Glass



VistaGrande SDL
Glass: Clear | Door: VSG-826-010LE-X-SDL24



VSG-926-010LE-1-SDL16
(2⁶ 3⁰)



VSGSL-151-010LE-1-SDL17
(1⁰ 12²)



VSG-926-010LE-1-SDL18
(2⁶ 3⁰)



VSGSL-151-010LE-1-SDL19
(1⁰ 12²)



VSG-926-010LE-1-SDL12
(2⁶ 3⁰)



VSGSL-151-010LE-1-SDL12
(1⁰ 12²)

note:
All Doorglass called out as 3/0 sizing




Smooth



Sidelite Smooth

VistaGrande® SDL Bars 8⁰

Beveled 1" Extruded Aluminum SDL Bars Applied to the Glass,
Low-E Argon Filled Glass Options
Extruded aluminum SDL bars that will not crack and warp
in the hot or humid climates of the West Coast.
(Not available on Fir Textured doors, GBG doors or Mini Blinds)



SDL Bar for Smooth doors only
Applied with 3M™ VHB™ tape

No shadow bar
Not available over GBG
Not available over mini blind



VSG-826-010LE-X-SDL20 (2⁶ 3⁰) VSGSL-852-010LE-X-SDL21 (1⁰ 1²)



VSG-826-010LE-X-SDL22 (2⁶ 3⁰) VSGSL-852-S03LE-X-SDL23 (1⁰ 1²)



VSG-826-010LE-X-SDL24 (2⁶ 3⁰) VSGSL-852-010LE-X-SDL25 (1⁰ 1²)



VSG-826-010LE-X-SDL26 (2⁶ 3⁰) VSGSL-852-010LE-X-SDL27 (1⁰ 1²)



VSG-826-010LE-X-SDL28 (2⁶ 3⁰) VSGSL-852-010LE-X-SDL29 (1⁰ 1²)



VSG-826-010LE-X-SDL30 (2⁶ 3⁰) VSGSL-852-010LE-X-SDL31 (1⁰ 1²)



Smooth



Sidelite Smooth

note:
All Doorglass called out as 3/0 sizing

VistaGrande® - Modern SDL Bars

Add Horizontal Aluminum SDL Bars to any VistaGrande® Flush-Glazed Door




How to build the part#:

VSG-926-010-X-DSDL4.5-2

BAR WIDTH

NUMBER OF LIGHTS



VistaGrande Modern Horizontal SDL Bars
Door Glass: Pearl | Door: VSG-926-140-X
Modern Bars: DSDL3.5-4





SLSDL4.5-2 (10" 1⁰ 1²) DSDL4.5-2 (2⁰ 2⁶ 2⁸ 2¹⁰ 3⁰) DSDL4.5-2 (2⁰ 2⁶ 2⁸ 2¹⁰ 3⁰) SLSL4.5-2 (1⁰ 1²) SLSL3.5-3 (10" 1⁰ 1²) DSDL3.5-3 (2⁰ 2⁶ 2⁸ 2¹⁰ 3⁰) DSDL3.5-3 (2⁰ 2⁶ 2⁸ 2¹⁰ 3⁰) SLSL3.5-3 (1⁰ 1²)

note:

All Doorglass called out as 3/0 sizing

VSG Smooth

VSGSL Sidelite Smooth




VSG Smooth

VSGSL Sidelite Smooth

note:
All Doorglass called out as 3/0 sizing

VistaGrande® - Mini Blinds



VistaGrande Mini Blinds
Glass: Clear w/Mini Blinds | Door: VSG-B122-01RLLE-X



VistaGrande® - Mini Blinds

Flush-Glazed Mini Blinds with Low-E Argon Filled Glass,
Smooth doors come with White Blinds and textured doors come with Tan Blinds.



White Mini Blinds

Tan Mini Blinds



VSG Smooth **VFT** Fir Textured **VSGSL** Sidelite Smooth **VFTSL** Sidelite Fir Textured

note:
All Doorglass called out as 3/0 sizing

Glass Inserts



Belleville Smooth Door with Clear Glass and Mini Blinds
Glass: Clear | Door: BLS-B122-01RL-X

Mini Blinds & Vent Inserts


Mini Blind & Vent Glass Inserts for use a variety of door species.
Smooth doors come with White Blinds and textured doors come with Tan Blinds.
(These Lite Kits use the Centurion Screw & Plug Frame)



White Mini Blinds

Tan Mini Blinds

Centurion® Screw & Plug Frame



Vent Lites (Shown with screen installed)

Imagine a blind you don't have to dust or clean.

Our blinds are built into efficient sealed units protected with tempered glass.


A single touch easily opens/closes blinds for privacy and light exposure.

- ▲ All sizes feature raise, lower and tilt functionality
- ▲ Security channels provide full privacy preventing light gaps when closed (*no side or bottom gaps*)
- ▲ Tight fit of frame to glass, no large gaps


- ▲ Spacer bars not visible in sight-line of frame
- ▲ Smoother, easier and more versatile dual mechanism operation
- ▲ Tan slat mini blinds available
- ▲ Soft coat Low-E option for ENERGY STAR® compliance

Clear or Low-E Inserts

Belleville Smooth Door with Clear Glass GBG insert
Glass: Clear | Door: BLS-106-09P-2




_____-108-CLR-X
(2⁴ 2⁶ 2⁸ 2¹⁰ 3⁰)



_____-106-CLR-X
(2⁶ 2⁸ 2¹⁰ 3⁰)




_____-810-CLR-X
(2⁶ 2⁸ 2¹⁰ 3⁰)




_____-852-CLR-X
(1⁰ 1²)



_____-810-01RL-X
(2⁶ 2⁸ 2¹⁰ 3⁰)



_____-852-01RL-X
(1⁰ 1²)



_____-106-VENT-2
(2⁶ 2⁸ 2¹⁰ 3⁰)



_____-106-01RL-2
(2⁶ 2⁸ 2¹⁰ 3⁰)



_____-122-CLR-X
(2⁰ 2⁶ 2⁸ 2¹⁰ 3⁰)



_____-152-CLR-X
(10" 1⁰ 1²)



_____-122-01RL-X
(2⁶ 2⁸ 2¹⁰ 3⁰)




_____-152-01RL-X
(1⁰ 1²)

Some sizes are available in BFT and BMT

All Doorglass called out as 3/0 sizing **note:** BLS Smooth BLT Oak Grain Textured BFT Fir Textured BMT Mahogany Textured

Clear or Low-E Inserts

Glass Inserts for use a variety of door species. Flat 7/8" Grids Between the Glass (except where noted).
(These Lite Kits use the Centurion® Screw & Plug frame)



note:
All Doorglass called out as 3/0 sizing

Craftsman Clear Inserts



Heritage Series- Fir Door and Sidelites with Clear Glass insert
Glass: Clear (010) | Door: HFT-217-010-2, Sidelite: HFTSL-617-010-1



___-151-1LE-X
(1⁰ 1²)



___-217-1LE-2
(2⁸ 2¹⁰ 3⁰)



___-217-2LE-2+Dental
(2⁸ 2¹⁰ 3⁰)




___-217-3LE-2 +Dental
(2⁸ 2¹⁰ 3⁰)



___-617-1LE-1
(1⁰ 1²)



___-151-4LE-X
(1⁰ 1²)



___-217-4LE-2 +Dental
(2⁸ 2¹⁰ 3⁰)




___-151-5LE-X
(1⁰ 1²)



___-217-6LE-2 +Dental
(2⁸ 2¹⁰ 3⁰)



___-617-2LE-1
(1⁰ 1²)



___-3C +Dental
(2⁸ 2¹⁰ 3⁰)

note:

All Doorglass called out as 3/0 sizing




Smooth



Fir Grain Textured

Craftsman Clear Low-E Inserts

Glass Inserts in Heritage Series™ Smooth & Fir Skins.
Flat 7/8" Grids Between the Glass (except where noted).
(These Lite Kits use the Heritage Series™ Screw & Plug Frame)



Heritage Series Screw & Plug Frame



Smooth Fir Grain Textured

note:
All Doorglass called out as 3/0 sizing

Craftsman Clear SDL

Heritage Series: Smooth Door and Sidelites with Clear Glass insert & SDL Bars
Glass: Clear (010) | Door: HGS-217-SDLC7-2, Sidelite: HGSSL-617-SDLC12-1



HGSSL-617-SDLC9-1
(1⁰ 1²)



HGS-217-SDLC1-2 +Dental
(2⁸ 2¹⁰ 3⁰)



HGSSL-617-SDLC9-1
(1⁰ 1²)



HGS-217-SDLC2-2
(2⁸ 2¹⁰ 3⁰)



HGSSL-151-SDLC10-X
(1⁰ 1²)



HGS-217-SDLC3-2
(2⁸ 2¹⁰ 3⁰)



HGSSL-151-SDLC11-X
(1⁰ 1²)



HGS-217-SDLC4-2 +Dental
(2⁸ 2¹⁰ 3⁰)


note:

All Doorglass called out as 3/0 sizing

 Smooth


Craftsman Clear Low-E SDL

Glass Inserts in Heritage Series™ Smooth Skins.
With Beveled 1" Aluminum Grids Adhered to the top of the Glass.
(These Lite Kits use the Heritage Series™ Screw & Plug Frame)



SDL Bar for Smooth doors only
Applied with 3M™ VHB™ tape

No shadow bar
Not available over GBG
Not available over mini blind



HGS-217-SDLC5-2
(1° 1²)



HGSSL-617-SDLC12-1
(2⁸ 2¹⁰ 3⁰)



HGS-217-SDLC5-2
(2⁸ 2¹⁰ 3⁰)



HGSSL-617-SDLC6-1
(1° 1²)



HGS-217-SDLC7-2
(1° 1²)



HGSSL-852-SDLC13-1
(2⁸ 2¹⁰ 3⁰)



HGS-217-SDLC8-2
(1° 1²)



HGSSL-852-SDLC14-X
(2⁸ 2¹⁰ 3⁰)

Textured Glass Inserts



Belleville Smooth Door with Pearl Glass Textured Insert
Glass: Pearl (140) | Door: BLS-122-140-X

Textured Glass Inserts

Full & Half-Lite Textured Glass Inserts.

Centurion® Screw & Plug Frame




-122-115-X
(2⁶ 2⁸ 2¹⁰ 3⁰)




-152-115-X
(1⁰ 1²)



-152-115-X
(10")



-106-116-1
(2⁸ 2¹⁰ 3⁰)



-106-116-1P
(2⁸ 2¹⁰ 3⁰)



-106-140-2
(2⁶ 2⁸ 2¹⁰ 3⁰)

PRIVACY RATING	
1 Least Obscure	9 Most Obscure
Chord	115
Double Water	113
Pear	116
Pearl	140
Quill	119
Rooftop	61

BLS Smooth
 BLT Oak Grain Textured
 BFT Fir Textured
 BMT Mahogany Textured


note:
All Doorglass called out as 3/0 sizing

Panel Doors




Belleville Smooth (6-Panel Door)
Door: BLS-6

6/8
Fire Door Available



—X
(2° 2⁴ 2⁶ 2⁸ 2¹⁰ 3°)

7/0
Fire Door Available



—X
(3° x 7°)

8/0
Fire Door Available



—X
(2° 2⁴ 2⁶ 2⁸ 2¹⁰ 3° 3^{6*})

*BLS Only.

Panel Doors



—2ST
(2⁸ 2¹⁰ 3⁰)

BLS
BLT



—2ST
(2⁸ 2¹⁰ 3⁰)

BLS
BLT



BLS-2R0
(2⁸ 2¹⁰ 3⁰)

BLS



BLS-2R0
(2⁸ 2¹⁰ 3⁰)

BLS



—2P
(2⁸ 2¹⁰ 3⁰)

BLS
BMT



BLS-2P
(2⁸ 2¹⁰ 3⁰)

BLS



—4NE
(2⁸ 2¹⁰ 3⁰)

BLS
BLT



—4BT
(2⁸ 2¹⁰ 3⁰)

BLS
BLT



—3
(2⁸ 2¹⁰ 3⁰)

BLS
BLT



—2
(2⁸ 2¹⁰ 3⁰)

BLS
BFT
BMT



—6
(2⁶ 2⁸ 2¹⁰ 3⁰)

BLS
BLT
BFT
BMT



—6
(3⁰ x 7⁰)

BLS
BLT



—6
(2⁶ 2⁸ 2¹⁰ 3⁰)

BLS
BLT
BMT



—8
(2¹⁰ 3⁰)

BLS
BLT
BMT



—8
(2¹⁰ 3⁰)

BLS
BLT



—2
(2⁸ 2¹⁰ 3⁰)

BLS

Barrington® Doors



Barrington Flagstaff
Door: BFS-P

Barrington® Flagstaff® Rustic Doors



Barrington® Sierra Rustic Doors



Decorative Glass Families



Belleville Oak Grain Door with Beverly Glass Decorative Insert
Glass: Beverly (42) | Door: BLT-203-42-7

Adelaide

PAGE
72



8

Antique
Black
Caming

Beveled
Sable
Glass

Clear
Bevel
Glass



TRIMLITE

1 — 8 — 10
Least Obscure — Most Obscure

Artisan

PAGE
74



7

Clear
Bevel
Glass

Antique
Black
Caming

Luminating
1/8" Reed
Glass

Granite
Glass



TRIMLITE

1 — 7 — 10
Least Obscure — Most Obscure

Beverly

PAGE
76



6

Clear
Baroque
Glass

Clear
Bevel
Glass

Antique
Black
Caming

Granite
Glass



TRIMLITE

1 — 6 — 10
Least Obscure — Most Obscure

Castellon

PAGE
78



7

Platinum
Caming

Sea
Spray
Glass

Clear
Bevel
Glass

Kasumi
Glass

Rain
Glass



TRIMLITE

1 — 7 — 10
Least Obscure — Most Obscure

Cruz

PAGE 86



Clear Glass

Antique Black Caming

Mistlite Glass

Granite Glass

1 Least Obscure

8 Most Obscure

10



Dahlia

PAGE 112



Tempered Sable Glass (Inside Facing)

Wrought Iron

1 Least Obscure

8 Most Obscure

10



Element

PAGE 88



Granite Beveled Glass

Granite Glass

Antique Black Caming

Clear Beveled Glass

1 Least Obscure

5 Most Obscure

10



Frontier

PAGE 90



Pear Glass

Grey Water Glass

Seedy Glass

Antique Black Caming

1 Least Obscure

4 Most Obscure

10



Harlow

PAGE
92




Clear Beveled Glass Narrow Reed Glass Clear Glass Granite Glass



1 Least Obscure 8 Most Obscure

Iron Springs

PAGE
114




Tempered Pear Glass (Inside Facing) Wrought Iron



1 Least Obscure 9 Most Obscure

Kordella

PAGE
94




White Etched Glass Clear Beveled Glass Seed Glass Dark Grey Glass Pear Glass Antique Black Coming



1 Least Obscure 8 Most Obscure

Marco

PAGE
96



Granite Glass Antique Black Coming Grey Water Glass Seedy Glass Clear Water Glass



1 Least Obscure 4 Most Obscure

Modena

PAGE 98



Platinum Caming
Narrow Reed Glass
Clear Beveled Glass
Granite Glass



Naples

PAGE 100



Clear Beveled Glass
Narrow Reed Glass
Antique Black Caming
Granite Glass



Niagara

PAGE 102




Brass Caming
Clear Beveled Glass
Glue Chip Glass
Antique Black Caming
Granite Glass



Panama

PAGE 104



Brass Caming
Granite Glass
Clear Beveled Glass
Aqua Glass
Platinum Caming



Riverside

PAGE
106



Clear
Beveled
Glass

White
Etched
Glass

8



1 — 8 — 10
Least Obscure — Most Obscure

Royston

PAGE
108



Granite
Glass

White
Etched
Glass

Clear
Beveled
Glass

Rain
Glass

Antique
Black
Caming

8



1 — 8 — 10
Least Obscure — Most Obscure

Sophia

PAGE
110



Platinum
Caming

Antique
Black
Caming

Lava
Glass

Antique
Black
Caming

Clear
Beveled
Glass

7



1 — 7 — 10
Least Obscure — Most Obscure

Tanglewood

PAGE
118



Tempered
Granite
Glass
(Inside Facing)


Wrought
Iron

9




1 — 9 — 10
Least Obscure — Most Obscure

Adelaide Entry Doors



Belleville Smooth Door with Trimlite
Decorative Glass Insert
Glass: Adelaide (21)
Door: BLS-404-21-2



_____-122-21-X
(2⁸ 2¹⁰ 3⁰)



_____-152-21-X
(1⁰ 1²)



_____-106-21-2
(2⁸ 2¹⁰ 3⁰)



_____-129-21-1
(1⁰ 1²)



_____-129-21-2
(2⁸ 2¹⁰ 3⁰)



_____-137-21-4
(2⁸ 2¹⁰ 3⁰)

note:
All Doorglass called out as 3/0 sizing

BLS Smooth **BLT** Oak Grain Textured **BFT** Fir Textured **BMT** Mahogany Textured

Adelaide Entry Doors



-106-21-1
(2⁸ 2¹⁰ 3⁰)



-106-21-1P
(2⁸ 2¹⁰ 3⁰)




-404-21-1
(2⁸ 2¹⁰ 3⁰)



-404-21-2
(2⁸ 2¹⁰ 3⁰)

6/8



-810-21-X
(2⁸ 2¹⁰ 3⁰)



-852-21-X
(1⁰ 1²)



-122-21-1
(2⁸ 2¹⁰ 3⁰)

8/0



-404-21-2
(2⁸ 2¹⁰ 3⁰)



-450-21-1
(1⁰ 1²)



-404-21-1
(2⁸ 2¹⁰ 3⁰)




BLS-404-21-1P
(2⁸ 2¹⁰ 3⁰)

8/0




Belleville Smooth Door with Trimlite
Decorative Glass Insert
Glass: Artisan (26)
Door: BLS-122-26-X

Artisan Entry Doors



6/8



-122-26-X
(2⁸ 2¹⁰ 3⁰)



-152-26-X
(1⁰ 1²)



-106-26-2
(2⁸ 2¹⁰ 3⁰)




-129-26-1
(1⁰ 1²)

6/8



-106-26-1
(2⁸ 2¹⁰ 3⁰)



-129-26-2
(2⁸ 2¹⁰ 3⁰)



-106-26-1P
(2⁸ 2¹⁰ 3⁰)

Artisan Entry Doors & Sidelites



-404-26-1
(2⁸ 2¹⁰ 3⁰)



-404-26-2
(2⁸ 2¹⁰ 3⁰)



-450-26-1
(1⁰ 1²)



-810-26-X
(2⁸ 2¹⁰ 3⁰)



-852-26-X
(1⁰ 1²)



-122-26-1
(2⁸ 2¹⁰ 3⁰)



-404-26-2
(2⁸ 2¹⁰ 3⁰)



-450-26-1
(1⁰ 1²)




-404-26-1P
(2⁸ 2¹⁰ 3⁰)



-404-26-1
(2⁸ 2¹⁰ 3⁰)


Belleville Fir Textured Door with Trimlite
Decorative Glass Insert
Glass: Beverly (42)
Door: BLT-106-42-2



Antique Black Caming (42)
PRIVACY RATING 6
clear opaque

Beverly Entry Doors

6/8



-122-42-X
(2'8" 2'10" 3'0")



-152-42-X
(10'0" 1'0" 1'2")



-404-42-1
(2'8" 2'10" 3'0")



-404-42-2
(2'8" 2'10" 3'0")



-106-42-1
(2'8" 2'10" 3'0")



-129-42-1
(1'0" 1'2")



-106-42-1P
(2'8" 2'10" 3'0")



-106-42-2
(2'6" 2'8" 2'10" 3'0")



-129-42-2
(2'8" 2'10" 3'0")

note:

All Doorglass called out as 3/0 sizing


BLS Smooth

BLT Oak Grain Textured

BFT Fir Textured

BMT Mahogany Textured

Beverly Entry Doors



-203-42-7
(2¹⁰ 3⁰)



-304-42-2
(2⁸ 2¹⁰ 3⁰)




-300-42-X
(2⁸ 2¹⁰ 3⁰)



-304-42-3
(2⁸ 2¹⁰ 3⁰)

6/8



-810-42-X
(2⁸ 2¹⁰ 3⁰)



-852-42-X
(1⁰ 1²)



-201-42-7
(2¹⁰ 3⁰)



-122-42-1
(2⁸ 2¹⁰ 3⁰)

8/0



-404-42-1
(2⁸ 2¹⁰ 3⁰)



-404-42-1P
(2⁸ 2¹⁰ 3⁰)




-404-42-2
(2⁸ 2¹⁰ 3⁰)



-450-42-1
(1⁰ 1²)


8/0

Castellon Entry Doors




Belleville Smooth Door with Trimlite
Decorative Glass Insert
Glass: Castellon (47)
Door: BLS-122-47-1


Castellon Entry Doors & Sidelites



6/8



6/8




8/0

BLS Smooth BLT Oak Grain Textured BFT Fir Textured BMT Mahogany Textured

note:
 All Doorglass called out as 3/0 sizing

Heritage Series™



Heritage Series™ Smooth Fiberglass
with Masonite Decorative Glass Insert
Glass: Naples (366)
Door: HGS-217-366-2


Heritage Series™ Craftsman Collection

AUTHENTIC CRAFTSMAN DETAIL

The Masonite® recessed 2-Panel exterior door combines crisp, clean lines inspired by classic craftsman architecture with the proven durability of fiberglass. Select an opaque application for added privacy, or choose from our decorative glass collection to flood your entryway with natural light.



- Heritage Series™ Craftsman door designs are available as opaque applications in both 6'8" and 8'0" applications to provide privacy and security or add one of the designs from our Craftsman decorative glass collection.
- Optional Dentil Shelf available.
- Factory glazable with lip lite frame.




**Heritage Series™
Screw & Plug Frame**



*Tan frame has a straight-grain textured for painting or staining

HERITAGE SERIES GLASS OPTIONS:



Heritage Series™

Heritage Series™ Fir Textured Fiberglass
with Masonite Decorative Glass Insert
Glass: Element (328)
Door: HFT-217-328-2
Sidelite: HFT-617-328-1

Optional Dental



HCDENTALF
(Optional)




HCDENTALS
(Optional)

Heritage Series™ Screw & Plug Frame



*Tan frame has a straight-grain textured for painting or staining





8/0 _____-852-21-X
6/8 _____-151-21-X
(1° 12°)

_____217-21-2
(2° 21° 30°)

_____617-21-1
(1° 12°)

Adelaide

Heritage Series Entry Doors & Sidelites



Heritage Series™

Heritage Series™
Smooth Fiberglass Door
with Masonite Decorative
Glass Insert
Glass: Marco (331)
Door HGS-217-331-2

Optional Dental



HCDENTALF
(Optional)



HCDENTALS
(Optional)


Heritage Series™ Screw & Plug Frame



*Tan frame has a straight-grain textured for painting or staining



8/0 ____-852-312-X
6/8 ____-151-312-X
(1⁰ 1²)





____-217-312-2 +Dental
(2⁸ 2¹⁰ 3⁰)




____-617-312-1
(1⁰ 1²)

Frontier


Heritage Series Entry Doors & Sidelites



Cruz Entry Doors



Belleville Smooth Door with Masonite
Decorative Glass Insert
Glass: Cruz (661)
Door: BLS-122-661-X




All Doorglass called out as 3/0 sizing

note:

BLS Smooth BLT Oak Grain Textured BFT Fir Textured BMT Mahogany Textured

Cruz Entry Doors & Sidelites



Belleville Fir Door with Masonite
Decorative Glass Insert
Glass: Element (328)
Door: BFT-106-328-2




Antique Black
Caming (328)

PRIVACY RATING 5
clear opaque

Element Entry Doors

6/8



-122-328-X
(2⁶ 2⁸ 2¹⁰ 3⁰)



-152-328-1
(1⁰ 1⁰ 1²)



-404-328-1
(2⁸ 2¹⁰ 3⁰)



-404-328-2
(2⁸ 2¹⁰ 3⁰)



-450-328-1
(1⁰ 1²)

6/8



-106-328-2
(2⁶ 2⁸ 2¹⁰ 3⁰)



-129-328-1
(1⁰ 1²)



-129-328-2
(2⁸ 2¹⁰ 3⁰)



-106-328-1P
(2⁸ 2¹⁰ 3⁰)



-106-328-1
(2⁸ 2¹⁰ 3⁰)

note:

All Doorglass called out as 3/0 sizing



Smooth



Oak Grain Textured




Fir Textured





Mahogany Textured

Element Entry Doors & Sidelites



Frontier Entry Doors




Belleville Mahogany Textured Door
with Masonite Decorative Glass Insert
Glass: Frontier (312)
Door: BMT-404-312-1
Sidelite: BMT-450-312-1



Frontier Entry Doors & Sidelites



Harlow Entry Doors



Harlow Entry Doors & Sidelites



Belleville Smooth Door
with Masonite Decorative
Glass Insert
Glass: Kordella (686)
Door: BLS-122-686-X (Left)
Sidelites: BLS-152-686-X (Left)



**Antique Black
Caming (686)**

PRIVACY RATING 8
clear opaque

Kordella Entry Doors

6/8



—-152-686-X (left) (1° 1²)



—-122-686-X (left) (2° 2¹⁰ 3⁰)



—-152-686-X (left) (1° 1²)



—-450-686-1 (right) (1° 1²)




—-404-686-2 (right) (2° 2¹⁰ 3⁰)



—-450-686-1 (right) (1° 1²)

6/8



—-106-686-1 (left) (2° 2¹⁰ 3⁰)



—-106-686-1P (left) (2° 2¹⁰ 3⁰)



—-106-686-2 (left) (2° 2¹⁰ 3⁰)

Kordella Glass is "Handed" so please make sure to order a Right or Left glass for your application

note:

All Doorglass called out as 3/0 sizing

BLS

Smooth

BLT

Oak Grain Textured


BFT

Fir Textured

BMT

Mahogany Textured

Kordella Entry Door & Sidelite




Kordella Glass is "Handed" so please make sure to order a Right or Left glass for your application
(See below for a 6/0 Opening example)



Belleville Smooth Door with Right & Left Kordella Glass
Decorative Glass Insert 6/0 Opening
Glass: Kordella (686) | Door: BLS-122-686-X (left) & BLS-122-686-X (right)

Marco Entry Doors



Antique Black
Caming (331)

PRIVACY RATING 4
clear | opaque

Belleville Smooth Door
with Masonite Decorative
Glass Insert
Glass: Marco (331)
Door: BLS-106-331-2


Marco Entry Door & Sidelite



BLS Smooth
 BLT Oak Grain Textured
 BFT Fir Textured
 BMT Mahogany Textured



note:
 All Doorglass called out as 3/0 sizing

Modena Entry Doors




Belleville Smooth Door & Sidelite with Trimlite Decorative Glass Insert
Glass: Modena (12) | Door: BLS-122-12-X Sidelite: BLSSL-152-12-X

Modena Doors and Sidelites



Mainlites and Sidelites are reversible.
Simply specify which way you want
the insert upon ordering to create
the look that works for you.



Belleville Mahogany Textured Door
with Masonite Decorative
Glass Insert
Glass: Naples (366)
Door: BMT-106-366-2
Sidelite: BMT-129-366-1




Antique Black
Caming (366)

PRIVACY RATING 6
clear opaque

Naples Entry Doors

6/8



-122-366-X
(2⁸ 2¹⁰ 3⁰)



-152-366-X
(1⁰ 1²)



-404-366-1
(2⁸ 2¹⁰ 3⁰)




-404-366-2
(2⁸ 2¹⁰ 3⁰)




-450-366-1
(1⁰ 1²)


6/8




-106-366-1P
(2⁸ 2¹⁰ 3⁰)



-106-366-2
(2⁸ 2¹⁰ 3⁰)



-106-366-1
(2⁸ 2¹⁰ 3⁰)



-129-366-1
(1⁰ 1²)

note:

All Doorglass called out as 3/0 sizing



Smooth



Oak Grain Textured




Fir Textured



Mahogany Textured


Naples Entry Doors



BLS Smooth BLT Oak Grain Textured BFT Fir Textured BMT Mahogany Textured

note:
 All Doorglass called out as 3/0 sizing

Niagara Entry Doors



Brass Caming (65)

Antique Black Caming (64)


PRIVACY RATING 7

clear opaque

Belleville Smooth Door with Trimlite Decorative Glass Insert
Glass: Niagara (64) | Door: BLS-129-64-2 | Sidelite: BLS-129-64-1

Niagara Entry Doors


ALL NIAGARA GLASS IS AVAILABLE IN EITHER BRASS (65) OR ANTIQUE BLACK (64) CAMING




-122-64-X
(2' 2' 2' 3')



-152-64-X
(1' 1')



-106-64-1P
(2' 2' 3')



-106-65-2
(2' 2' 2' 3')


6/8




-129-64-2
(2' 2' 3')



-129-64-1
(1' 1')



-135-64-4
(2' 2' 3')



-122-65-1
(2' 2' 3')

8/0

ALL NIAGARA GLASS IS AVAILABLE IN EITHER BRASS (65) OR ANTIQUE BLACK (64) CAMING

BLS Smooth BLT Oak Grain Textured BFT Fir Textured BMT Mahogany Textured

note:
All Doorglass called out as 3/0 sizing

Belleville Smooth Door with
Masonite Decorative Glass Insert
Glass: Panama (725)
Door: BLS-122-725-X
Sidelite: BLS-152-725-X




Brass Caming (724)
Platinum Caming (725)

PRIVACY RATING 4
clear opaque

Panama Entry Doors

6/8



-122-724-X
(2⁶ 2⁸ 2¹⁰ 3⁰)




-152-724-X
(10" 1⁰ 1²)




-404-725-1
(2⁶ 2⁸ 3⁰)



-450-725-1
(1⁰ 1²)




-106-724-1
(2⁸ 2¹⁰ 3⁰)



-129-724-1
(1⁰ 1²)



-203-725-7
(2¹⁰ 3⁰)



-106-725-1P
(2⁸ 2¹⁰ 3⁰)



-135-724-4
(2⁸ 2¹⁰ 3⁰)

ALL PANAMA GLASS IS AVAILABLE IN EITHER BRASS (724) OR PLATINUM (725) CAMING

note:

All Doorglass called out as 3/0 sizing

BLS

Smooth

BLT

Oak Grain Textured

BFT

Fir Textured

BMT

Mahogany Textured

Panama Entry Doors

ALL PANAMA GLASS IS AVAILABLE IN EITHER BRASS (724) OR PLATINUM (725) CAMING



-304-725-2
(2⁸ 2¹⁰ 3⁰)



-404-725-2
(2⁸ 2¹⁰ 3⁰)



-106-725-2
(2⁶ 2⁸ 2¹⁰ 3⁰)




-129-725-2
(2⁸ 2¹⁰ 3⁰)

6/8



-201-724-7
(2¹⁰ 3⁰)



-404-724-1
(2⁸ 2¹⁰ 3⁰)




-404-725-1P
(2⁸ 2¹⁰ 3⁰)



-122-724-1
(2⁸ 2¹⁰ 3⁰)


8/0



-810-724-X
(2⁸ 2¹⁰ 3⁰)



-852-724-X
(1⁰ 1²)



-404-724-2
(2⁸ 2¹⁰ 3⁰)



-450-724-1
(1⁰ 1²)

8/0

ALL PANAMA GLASS IS AVAILABLE IN EITHER BRASS (724) OR PLATINUM (725) CAMING


BLS Smooth BLT Oak Grain Textured BFT Fir Textured BMT Mahogany Textured

note:
All Doorglass called out as 3/0 sizing


Riverside Entry Doors



Belleville Smooth Door with Trimlite
Decorative Glass Insert
Glass: Riverside | Door: BLS-122-56-X



Riverside Entry Doors & Sidelites




Royston Entry Doors



Belleville Smooth Door with Trimlite Decorative Glass Insert
Glass: Royston | Door: BLS-106-34-1P

Royston Entry Doors & Sidelites



note:
All Doorglass called out as 3/0 sizing

Sophia Entry Doors



Platinum
Caming (40)


Antique Black
Caming (39)

PRIVACY RATING 7

clear opaque

Belleville Smooth Doors with Trimlite Decorative Glass Insert
(Transom sourced elsewhere)
Glass: Sophia (39) | Doors: BLS-106-39-1P


6/8



-122-39-X
(2⁸ 2¹⁰ 3⁰)



-152-39-X
(1⁰ 1²)



-404-39-2
(2⁸ 2¹⁰ 3⁰)



-450-39-1
(1⁰ 1²)



-106-39-2
(2⁸ 2¹⁰ 3⁰)



-129-39-1
(1⁰ 1²)

note:

All Doorglass called out as 3/0 sizing

BLS

Smooth

BLT

Oak Grain Textured

BFT

Fir Textured

BMT

Mahogany Textured

Sophia Entry Doors & Sidelites

ALL SOPHIA GLASS IS AVAILABLE IN EITHER PLATINUM (40) OR ANTIQUE BLACK (39) CAMING



—-304-39-2
(2⁸ 2¹⁰ 3⁰)

BLS
BFT
BMT



—-304-39-3
(2⁸ 2¹⁰ 3⁰)

BLS
BLT



—-203-39-7
(2¹⁰ 3⁰)


BLS
BLT
BMT



—-135-39-4
(2⁸ 2¹⁰ 3⁰)


BLS
BLT

6/8



—-106-39-1
(2⁸ 2¹⁰ 3⁰)

BLS
BLT




—-106-39-1P
(2⁸ 2¹⁰ 3⁰)

BLS
BMT



—-129-39-2
(2⁸ 2¹⁰ 3⁰)


BLS
BLT
BFT
BMT



—-404-39-1
(2⁸ 2¹⁰ 3⁰)

BLS
BFT
BMT

6/8



—-404-39-1P
(2⁸ 2¹⁰ 3⁰)

BLS



—-404-39-1
(2⁸ 2¹⁰ 3⁰)

BLS
BLT



—-404-39-2
(2⁸ 2¹⁰ 3⁰)

BLS
BLT
BMT



—-201-39-7
(2¹⁰ 3⁰)

BLS
BLT



—-122-39-1
(2⁸ 2¹⁰ 3⁰)


BLS
BMT

8/0

BLS Smooth BLT Oak Grain Textured BFT Fir Textured BMT Mahogany Textured

note:
All Doorglass called out as 3/0 sizing

Wrought Iron — Dahlia



Barrington Door with Trimlite
Wrought Iron Insert
Glass: Dahlia | Door: BSP-246-49-1



BSN-464-49-X
(3°)



BSNSL-151-49-X
(1° 12°)



BSN-465-49-X
(3°)



BSNR-465-49-X
(3°)



BSN-246-49-1
(3°)



BSP-246-49-1
(3°)

6/8

note:
All Doorglass called out as 3/0 sizing



Barrington Flagstaff



Barrington Sierra



Barrington Sierra Plank


Wrought Iron – Dahlia Entry Doors




BSN-247-49-1
(3°)



BSP-247-49-1
(3°)



BSNR-247-49-1
(3°)



BSPR-247-49-1
(3°)

6/8



BSP-701-49-X
(3° 3⁄8)



BSNL-852-49-X
(1° 1⁄2)



BSP-702-49-X
(3°)




BSPR-702-49-X
(3°)

8/0



BSN-406-49-1
(3° 3⁄8)



BSP-406-49-1
(3° 3⁄8)



BSN-407-49-1
(3° 3⁄8)



BSP-407-49-1
(3° 3⁄8)



BSNR-407-49-1
(3° 3⁄8)



BSPR-407-49-1
(3° 3⁄8)

8/0



Barrington Flagstaff



Barrington Sierra




Barrington Sierra Plank

note:
All Doorglass called out as 3/0 sizing

Wrought Iron — Iron Springs




Barrington Door with Masonite
Wrought Iron Insert
Glass: Iron Springs | Door: BSN-247-918-1




BSN-246-918-1
(3°)



BSN-151-918-X
(1° 12°)



BSP-246-918-1
(3°)



BSN-247-918-1
(3°)



BSP-247-918-1
(3°)

6/8

Iron Springs Sidelite Glass is "Handed" so please make sure to order a Right or Left glass for your application

note:

All Doorglass called out as 3/0 sizing



Barrington Flagstaff



Barrington Sierra




Barrington Sierra Plank

Wrought Iron – Iron Springs Entry Doors



BSNR-247-918-1
(3°)



BSPR-247-918-1
(3°)

6/8



BSN-406-918-1
(3° 3°)




BSNSL-852-918-X
(1° 12°)



BSP-406-918-1
(3° 3°)

8/0



BSN-407-918-1
(3° 3°)



BSP-407-918-1
(3° 3°)



BSNR-407-918-1
(3° 3°)



BSPR-407-918-1
(3° 3°)

8/0

Iron Springs Sidelite Glass is "Handed" so please make sure to order a Right or Left glass for your application



Barrington Flagstaff



Barrington Sierra



Barrington Sierra Plank

note:


All Doorglass called out as 3/0 sizing

Wrought Iron — Iron Springs




Wrought Iron (918)

PRIVACY RATING 9	
clear	opaque



Belleville Smooth Door with Masonite
Wrought Iron Insert
Glass: Iron Springs | Door: BLS-122-918-X

Wrought Iron – Iron Springs Entry Doors




Iron Springs Sidelite Glass is "Handed" so please make sure to order a Right or Left glass for your application

BLS Smooth BLT Oak Grain Textured BFT Fir Textured BMT Mahogany Textured


note:
All Doorglass called out as 3/0 sizing

Wrought Iron — Tanglewood



Wrought Iron (926)
PRIVACY RATING 9
clear opaque


Barrington Door with Masonite
Wrought Iron Insert
Glass: Tanglewood | Door: BSN-246-926-1




BSN-246-926-1
(3°)




BSN-151-926-X
(1° 12°)



BSP-246-926-1
(3°)



BSN-247-926-1
(3°)



BSP-247-926-1
(3°)

6/8

note:
All Doorglass called out as 3/0 sizing



Barrington Flagstaff



Barrington Sierra




Barrington Sierra Plank

Wrought Iron – Tanglewood Entry Doors



BSNR-247-926-1
(3°)



BSPR-247-926-1
(3°)


6/8



BSN-406-926-1
(3° 3⁄8)




BSNSL-852-926-X
(1° 1 1⁄2)




BSP-406-926-1
(3° 3⁄8)

8/0




BSN-407-926-1
(3° 3⁄8)



BSP-407-926-1
(3° 3⁄8)




BSNR-407-926-1
(3° 3⁄8)



BSPR-407-926-1
(3° 3⁄8)

8/0

Wrought Iron — Tanglewood



Wrought Iron (926)

PRIVACY RATING 9
clear opaque

Belleville Fir Textured Door
with Masonite Wrought Iron Insert
Glass: Tanglewood | Door: BFT-404-926-1

Wrought Iron – Tanglewood Entry Doors



BLS Smooth BLT Oak Grain Textured BFT Fir Textured BMT Mahogany Textured

note:
All Doorglass called out as 3/0 sizing


Decorative Options for Rustic Doors



Barrington Sierra Door with Fortress Speakeasy Insert
Glass: Seedy | Door: BSN-2CT

Speakeasy

Add a Speakeasy for a touch of old world charm.
EL & EL Wood Products offers 5 different options for a variety of tastes.
All seal tightly with rubber gaskets to prevent air infiltration.



(Exterior)

Fortress
(9 3/4" x 12")



(Interior)



(Exterior)

Bistro
(8 1/2" x 10 1/2")



(Interior)




(Exterior)

Manor
(10" x 12")



(Interior)



(Exterior)

Café
(10" x 12")



(Interior)

Clavos




CLRD114
(1 1/4" Round)



CLRD112
(1 1/2" Round)



CLSQ112
(1 1/2" Square)



CLRD114
(1 1/4" Square)

Clavos come in round or square decorative black metal. The clavos are shipped loose so the customer can apply them on site in the design of their choice (*shown actual size*).



(Exterior)

Tuscan
(10" x 12")




(Interior)

Straps



18" hinge straps can easily be added to Rustic doors after installation to add character to your home.

5/0 Entry Systems



Belleville 5/0 Entry Doors with Trimlite Decorative Glass Inserts
Glass: Modena (12) | Door: BLS-820-12-X

5/0 Entry Systems


BEAUTIFUL ENTRIES FOR 5' OPENINGS

There are many options when it comes to choosing a new entryway for your home. When you choose a 5° Entry System from EL & EL Wood Products it's all about options. EL & EL and Masonite have partnered up to offer the most comprehensive line of 5° Entry Door Units in the market place. Choose from 17 unique glass designs in your choice of Smooth or Textured door skins that are available in many prefinished stains & colors (shown on Page 6–7 of this book).

We offer options to fit any budget and choosing one of our door designs is the first step in creating a beautiful entryway that can provide exactly the look you want for your home.

At EL & EL we understand that your home is a reflection of who you are. That's why we've designed this range of doors and glass options to help express a character that is undeniably yours.


5/0 GLASS OPTIONS:



Beverly Entry



Belleville 5/0 Entry Doors with Trimlite
Decorative Glass Inserts
Glass: Beverly (42)
Door: BLS-122-42-2
Sidelites: BLS-152-42-X



Castellon Entry

Belleville 5/0 Entry Doors
with Trimlite Decorative Glass Insert
Glass: Castellon (47)
Door: BLS-120-47-X



-120-47-X
2/6 x 6/8



-120-47-X
2/6 x 6/8



-152-47-X
10" x 6/8



-122-47-X
3/0 x 6/8



-152-47-X
10" x 6/8



-160-47-2
2/6 x 6/8



-160-47-2
2/6 x 6/8



-152-47-X
10" x 6/8



-106-47-2
3/0 x 6/8



-152-47-X
10" x 6/8

BLS

Smooth

BLT

Oak Grain Textured

BMT

Mahogany Textured

Chord Entry

Belleville 5/0 Entry Doors
with Masonite
Textured Glass Inserts
Glass: Chord (115)
Door: BLS-122-115-X
Sidelites: BLS-152-115-X



___-120-115-X
2/6 x 6/8

___-120-115-X
2/6 x 6/8



___-152-115-X
10" x 6/8

___-122-115-X
3/0 x 6/8

___-152-115-X
10" x 6/8



___-160-115-2
2/6 x 6/8

___-160-115-2
2/6 x 6/8



___-152-115-X
10" x 6/8

___-106-115-2
3/0 x 6/8

___-152-115-X
10" x 6/8

Double Water Entry

Belleville 5/0 Entry Doors with Masonite
Textured Glass Inserts
Glass: Double Water (113)
Door: BMT-160-113-2



—120-113-X
2/6 x 6/8


—120-113-X
2/6 x 6/8



—152-113-X
10" x 6/8

—122-113-X
3/0 x 6/8

—152-113-X
10" x 6/8



—160-113-2
2/6 x 6/8

—160-113-2
2/6 x 6/8




—152-113-X
10" x 6/8

—106-113-2
3/0 x 6/8

—152-113-X
10" x 6/8


Element Entry



___-120-328-X
2/6 x 6/8



___-120-328-X
2/6 x 6/8



___-152-328-X
10" x 6/8



___-122-328-X
3/0 x 6/8




___-152-328-X
10" x 6/8



___-160-328-2
2/6 x 6/8



___-160-328-2
2/6 x 6/8



___-152-328-X
10" x 6/8



___-106-328-2
3/0 x 6/8



___-152-328-X
10" x 6/8

Harlow Entry

Belleville 5/0 Entry Doors with Trimlite Decorative Glass Inserts
Glass: Harlow (52) | Door: BLS-160-113-2



-120-52-X
2/6 x 6/8



-120-52-X
2/6 x 6/8



-152-52-X
10" x 6/8



-122-52-X
3/0 x 6/8



-152-52-X
10" x 6/8



-160-52-2
2/6 x 6/8



-160-52-2
2/6 x 6/8



-152-52-X
10" x 6/8



-106-52-2
3/0 x 6/8



-152-52-X
10" x 6/8

Iron Springs Entry




Belleville 5/0 Entry Doors with Masonite
Wrought Iron Inserts
Glass: Iron Springs (918) | Door: BLT-120-918-X



_____-120-918-X
2/6 x 6/8

_____-120-918-X
2/6 x 6/8

Marco Entry



Belleville 5/0 Entry Doors with Masonite
Decorative Glass Inserts
Glass: Marco (331) | Door: BMT-106-331-2
Sidelite: BMT-152-331-X




-152-331-X 10" x 6/8
-106-331-2 3/0 x 6/8
-152-331-X 10" x 6/8



-160-331-2 2/6 x 6/8
-160-331-2 2/6 x 6/8

Modena Entry



Mainlites and Sidelites are reversible. Simply specify which way you want the insert upon ordering to create the look that works for you.


Belleville 5/0 Entry Doors with Trimlite Decorative Glass Inserts
Glass: Modena (12) | Door: BMT-120-12-X

<div>BLS BLT BMT</div>	<div>BLS BLT BMT</div>	<div>BLS BLT BMT</div>	<div>BLS BLT</div>	<div>BLS BLT</div>	<div>BLS BLT</div>	<div>BLS BLT</div>
-152-12-X 10" x 6/8	-122-12-X 3/0 x 6/8	-152-12-X 10" x 6/8	-120-12-X 2/6 x 6/8	-120-12-X 2/6 x 6/8	-820-12-X 2/6 x 8/0	-820-12-X 2/6 x 8/0

BLS Smooth BLT Oak Grain Textured BMT Mahogany Textured

Niagara Entry

Belleville 5/0 Entry Doors with
Trimlite Decorative Glass Inserts
Glass: Niagara (64) | Door: BMT-122-64-X
Sidelite: BMT-152-64-X




-120-64-X
2/6 x 6/8



-120-64-X
2/6 x 6/8



-152-64-X
10" x 6/8



-122-64-X
3/0 x 6/8



-152-64-X
10" x 6/8



-160-64-2
2/6 x 6/8



-160-64-2
2/6 x 6/8



-152-64-X
10" x 6/8



-106-64-2
3/0 x 6/8




-152-64-X
10" x 6/8

ALL NIAGARA GLASS IS AVAILABLE IN EITHER BRASS (65) OR ANTIQUE BLACK (64) CAMING

BLS Smooth BLT Oak Grain Textured BMT Mahogany Textured

Panama Entry



Brass Caming (724)
Platinum Caming (725)

PRIVACY RATING 4
clear — opaque

Belleville 5/0 Entry Doors with Masonite Decorative Glass Inserts
Glass: Panama (725)
Door: BLT-122-725-X
Sidelite: BLT-152-725-X



—120-724-X
2/6 x 6/8

—120-724-X
2/6 x 6/8



—152-724-X
10" x 6/8

—122-724-X
3/0 x 6/8

—152-724-X
10" x 6/8



—160-725-2
2/6 x 6/8

—160-725-2
2/6 x 6/8



—152-725-X
10" x 6/8

—106-725-2
3/0 x 6/8

—152-725-X
10" x 6/8

ALL PANAMA GLASS IS AVAILABLE IN EITHER BRASS (724) OR PLATINUM (725) CAMING

BLS Smooth **BLT** Oak Grain Textured **BMT** Mahogany Textured

Pear Entry

Belleville 5/0 Entry Doors with Masonite
Textured Glass Inserts
Glass: Pear (116) | Door: BLS-122-116-X
Sidelite: BLS-152-116-X



—-120-116-X
2/6 x 6/8



—-120-116-X
2/6 x 6/8



—-152-116-X
10" x 6/8



—-122-116-X
3/0 x 6/8



—-152-116-X
10" x 6/8



—-160-116-2
2/6 x 6/8



—-160-116-2
2/6 x 6/8



—-152-116-X
10" x 6/8



—-106-116-2
3/0 x 6/8



—-152-116-X
10" x 6/8

Pearl Entry



Belleville 5/0 Entry Doors
with Masonite
Textured Glass Inserts
Glass: Pearl (140)
Door: BLT-120-140-X



___-120-140-X
2/6 x 6/8

___-120-140-X
2/6 x 6/8



___-152-140-X
10" x 6/8

___-122-140-X
3/0 x 6/8

___-152-140-X
10" x 6/8



___-160-140-2
2/6 x 6/8

___-160-140-2
2/6 x 6/8



___-152-140-X
10" x 6/8

___-106-140-2
3/0 x 6/8

___-152-140-X
10" x 6/8

Riverside Entry



Belleville 5/0 Entry Doors
with Trimlite
Decorative Glass Inserts
Glass: Riverside (56)
Door: BLT-120-56-X



Tanglewood Entry

Belleville 5/0 Entry Doors
with Masonite
Wrought Iron Inserts
Glass: Tanglewood (926)
Door: BLT-120-926-X




-120-926-X
2/6 x 6/8

-120-926-X
2/6 x 6/8



Belleville 5/0 Entry Doors with Masonite
Textured Glass Inserts
Glass: Chord (115) | Door: BMT-120-115-X

How to Measure Your Door



STEPS 1 & 2

There is no 'industry standard' for door sizing, so follow these steps carefully. Measuring your door and determining your door handing is very important to ensure the best fit for your opening. For best results, have a professional measure your opening and get it installed.

- STEP 1.** Measure the width of your existing door slab.
This is the edge of one side of the door slab to the edge of the other side of the door slab. (X)
- STEP 2.** Measure the height of your existing door slab.
This is the top edge of the door slab to the bottom edge of the door slab. Do not include the sweep on the bottom of the door. (Y)
- STEP 3.** Measure the jamb depth of your existing door.
This is the inside edge of the door jamb to the outside edge of the door jamb (area where hinges are). Do not include any trim / moulding in this measurement.
- STEP 4.** Determine the handing of your existing door
(See next section for visual and double door options).
- A)** All handing must be done from the exterior of the door. Looking at your door from the outside, your door swings:

☐ **A or B** – Into the house (inswing)
☐ **C or D** – Out of the house (outswing)
- B)** Looking at your door from the outside, your door knob is:

☐ **B or D** – On the left side of the door
☐ **A or C** – On the right side of the door
- C)** Select the Letter below to determine the proper handing of your door.

☐ **B** – Right-Hand Inswing
☐ **A** – Left-Hand Inswing
☐ **D** – Left-Hand Outswing
☐ **C** – Right-Hand Outswing

(See below for visual and more options)

- STEP 5.** Final calculations of your existing door.
To find the estimated size of your existing unit, use the worksheet below to do your calculations.

Width	For Inswing Units	For Outswing Units
MEASUREMENT X	X=	X=
ADD FOR JAMBS	+ 1.75 (1 ³ / ₄)"	+ 1.75 (1 ³ / ₄)"
TOTAL UNIT WIDTH	= " =	" =

Height	*For Inswing Units	†For Outswing Units
MEASUREMENT Y	Y=	Y=
ADD FOR HEAD & SILL DOOR BOTTOM I.S.	+ 2.75 (2 ³ / ₄)"	+ 1.875 (1 ⁷ / ₈)"
TOTAL UNIT HEIGHT	= " =	" =

NOTE:
THIS CHART IS FOR CALCULATIONS
OF A SINGLE UNIT ONLY

* ADJUSTABLE SILL † BUMPER OR 1/2" LOW PROFILE (ADA) SILL

Find Your Door Handing

Inswing	Inswing	Outswing	Outswing
 A LEFT HAND INSWING EXTERIOR	 B RIGHT HAND INSWING EXTERIOR	 C RIGHT HAND OUTSWING EXTERIOR	 D LEFT HAND OUTSWING EXTERIOR
 E LEFT HAND INSWING EXTERIOR	 F RIGHT HAND INSWING EXTERIOR	 G RIGHT HAND OUTSWING EXTERIOR	 H LEFT HAND OUTSWING EXTERIOR

FOR DOUBLE DOOR UNITS OR SIDELITE UNITS ASK YOUR DEALER

Prehung Net Unit Measurements

NET UNIT WIDTHS								NET UNIT HEIGHTS	
Door Size	Net Unit Width	Add 1-Each Fixed 10" Sidelites	Add 2-Each Fixed 10" Sidelites	Add 1-Each Fixed 12" Sidelites	Add 2-Each Fixed 12" Sidelites	Add 1-Each Fixed 14" Sidelites	Add 2-Each Fixed 14" Sidelites	Inswing Net Unit Height	Outswing Bumper Net Unit Height
2/0 x 6/8	25½"	36⅞"	48¼"	38⅜"	51¼"	40⅜"	55¼"	81¾"	80⅞"
2/4 x 6/8	29½"	40⅞"	52¼"	42⅜"	55¼"	44⅜"	59¼"	81¾"	80⅞"
2/6 x 6/8	31½"	42⅞"	54¼"	44⅜"	57¼"	46⅜"	61¼"	81¾"	80⅞"
2/8 x 6/8	33½"	44⅞"	56¼"	46⅜"	59¼"	48⅜"	63¼"	81¾"	80⅞"
2/10 x 6/8	35½"	46⅞"	58¼"	48⅜"	61¼"	50⅜"	65¼"	81¾"	80⅞"
3/0 x 6/8	37½"	48⅞"	60¼"	50⅜"	63¼"	52⅜"	67¼"	81¾"	80⅞"
3/6 x 6/8	43½"	54⅞"	66¼"	56⅜"	69¼"	58⅜"	73¼"	81¾"	80⅞"
4/0 x 6/8	49½"	60⅞"	72¼"	62⅜"	75¼"	64⅜"	79¼"	81¾"	80⅞"
4/0 x 6/8 Double	50"	61⅜"	72¾"	62⅞"	75¾"	64⅞"	79¾"	81¾"	80⅞"
4/8 x 6/8 Double	58"	69⅜"	80¾"	70⅞"	83¾"	72⅞"	87¾"	81¾"	80⅞"
5/0 x 6/8 Double	62"	73⅜"	84¾"	74⅞"	87¾"	76⅞"	91¾"	81¾"	80⅞"
5/4 x 6/8 Double	66"	77⅜"	88¾"	78⅞"	91¾"	80⅞"	95¾"	81¾"	80⅞"
5/8 x 6/8 Double	70"	81⅜"	92¾"	82⅞"	95¾"	84⅞"	99¾"	81¾"	80⅞"
6/0 x 6/8 Double	74"	85⅜"	96¾"	86⅞"	99¾"	88⅞"	103¾"	81¾"	80⅞"
2/6 x 7/0	31½"	—	—	44⅜"	57¼"	46⅜"	61¼"	85¾"	84⅞"
2/8 x 7/0	33½"	—	—	46⅜"	59¼"	48⅜"	63¼"	85¾"	84⅞"
3/0 x 7/0	37½"	—	—	50⅜"	63¼"	52⅜"	67¼"	85¾"	84⅞"
2/6 x 8/0	31½"	—	—	*44⅞"	*58¼"	*46⅞"	*62¼"	97¾"	96⅞"
2/8 x 8/0	33½"	—	—	*46⅞"	*60¼"	*48⅞"	*64¼"	97¾"	96⅞"
3/0 x 8/0	37½"	—	—	*50⅞"	*64¼"	*52⅞"	*68¼"	97¾"	96⅞"

ALL SPECIFICATIONS ARE NET FRAME SIZES!

Net frame height with Flat Oak Sill
for **6'8" doors** 81¾" I.S. & 81⅞" O.S.
for **8'0" doors** 97¾" I.S. & 97⅞" O.S.

NOTE:

For ½" Low Profile (ADA) Sill Deduct ⅞" From Inswing Height (Applies to Inswing or Outswing Units).

6/8 & 7/0 Unit Dimensions w/Sidelites Includes:

1" x 2" Mull Post.

*8/0 Units includes 1½" x 2½" Fat Boy Mull Post

- 6'8" Door units with **operable sidelites add ¾" per sidelite in width for Fat Boy Mull Post and (2) ⅞" gaps at hinge & strike.
- 8'0" Door units with **operable sidelites add 1⅞" per sidelite in width for back-to-back Mull Post, 1⅞" spacer and (2) ⅞" gaps at hinge & strike.


**** All Inswing or All Outswing units (Inswing Door / Inswing Sidelite or Outswing Door / Outswing Sidelites)**



EL & EL Wood Products

Millwork that creates distinction.


Highest Quality and Efficiency



Protection From the Elements

All Masonite doors in this catalog, feature a fiberglass construction which resists both rotting and denting. They also contain a polyurethane core which insulates 5x better than real wood. To create an authentic wood door look, all these doors also have a square edge door design, that helps create a superior seal.

Fiberglass construction resists rotting and denting



Square edge creates an authentic wood door look and superior seal



Composite bottom rail provides rot resistance



ENERGY STAR® is a program developed by the U.S. Environmental Protection Agency and the U.S. Department of Energy. The goal of the program is to protect the environment and save you money by encouraging energy efficient products, services and practices. To that end, Masonite is proud to produce a wide variety of door and glass combinations that ensure our products can be used as part of an ENERGY STAR-qualified assembled door system. Masonite doors and sidelites include a premium polyurethane foam core that insulates up to five times better than wood. The triple-pane decorative glass with coming creates an excellent insulator against the cold in the winter and the heat of summer. A properly installed ENERGY STAR-qualified door system can save you money all year.

The Masonite NFRC certified door systems may qualify for the ENERGY STAR® program. Although other criteria exist for eligibility, including **U-Factor** and **Solar Heat Gain Coefficients**, use the charts below as a general guideline for which Masonite products may qualify.

For further information, see the Masonite website at: www.masonite.com

1. U-Factor: Measures the rate of heat transfer through a product. It considers all elements of an assembly including conductivity, air flow and glass emissivity. A lower U-Factor indicates a better-insulating product.

2. SHGC (Solar Heat Gain Coefficient): Measures the amount of energy that passes through glass from the sun, creating additional heat. The lower the SHGC, the better it blocks solar heat.


Masonite® ENERGY STAR® Compliant Products

NZ Northern Zones only
HC Hard Coat – Pyrolytic Low-E
SC Soft Coat – Sputter Low-E

Glass Type		Glazing Level				
		Opaque	1/4 Lite	1/2 Lite	3/4 Lite	Full Lite
Fiberglass Doors	0.15 [†] U-Factor					
			✓			
			✓			
				✓	✓	
			✓			
			✓		✓	
			✓	✓	✓	NZ ✓
			✓	✓	✓	✓ ✓
			✓	✓	✓	NZ ✓
						✓

[†]U-Factor for opaque doors only. 'IG' = Insulated Glass.

* Please verify qualification with the NFRC performance label affixed to the door.



ENERGY STAR® Product Performance Criteria

Glazing Level	U-Factor ¹	SHGC ²
ALL	≤ 0.17	No Rating
≤ ½ Lite	≤ 0.25	≤ 0.25
> ½ Lite	≤ 0.30	Northern North-Central ≤ 0.40
		Southern South-Central ≤ 0.25

Air Leakage for Swinging Doors ≤ 0.5 cfm/ft²

¹Btu/h·ft²·°F. ²Fraction of incident solar radiations

Thermal Performance values established in accordance with ETC Laboratories (NFRC) Simulation Report	R-Value (higher is better)	U-Factor (lower is better)	SHGC Value (lower is better)
Fiberglass door unit with – No Glass (Full Panel)	6.67	0.15	0.01
Fiberglass door unit with – ¼ Lite Clear Glass	4.35	0.23	0.10
Fiberglass door unit with – ½ Lite Clear Glass	4.55	0.22	0.10
Fiberglass door unit with – Full Lite Clear Glass	2.86	0.35	0.34
Fiberglass door unit with – ½ Lite Mini Blind	3.70	0.27	0.19
Fiberglass door unit with – Full Lite Mini Blind	2.78	0.36	0.34
Fiberglass door unit with – ½ Lite Low-E Glass	4.17	0.24	0.16
Fiberglass door unit with – Full Lite Low-E Glass	3.33	0.30	0.28
Fiberglass door unit with – ½ Lite Low-E Mini Blind	4.17	0.24	0.10
Fiberglass door unit with – Full Lite Low-E Mini Blind	3.33	0.30	0.17
Fiberglass door unit with – ¼ Lite Decorative Glass	5.00	0.20	0.08
Fiberglass door unit with – ½ Lite Decorative Glass	4.35	0.23	0.15
Fiberglass door unit with – ¾ Lite Decorative Glass	3.85	0.26	0.20
Fiberglass door unit with – Full Lite Decorative Glass	3.45	0.29	0.27
Fiberglass door unit with – Full Lite Flush-Glazed Clear Glass	2.86	0.35	0.34
Fiberglass door unit with – Full Lite Flush-Glazed Low-E Glass	4.17	0.24	0.16



EL & EL Wood Products

Millwork that creates distinction.

The Best Components and Materials



High Quality Hinges

EL & EL offers high quality Commercial Grade Hinges on all our pre-hung units so that your entry will be free of service for years to come.




USP - Prime Coat



US3 - Bright Brass



US4 - Satin Brass



US1D - Black



US10BL - Oil Rubbed
Bronze



US15 - Satin Nickel



US5 - Antique Brass



US15A - Antique Nickel



US26 - Bright Chrome



US26D - Satin Chrome

Composite Frames



Composite Frame

Wood Frame



Composite Frames

While other companies may use a few inches of composite material finger jointed to wood at the bottom of their frames, We are proud to offer 100% full-length composite frames. Available in Smooth, Woodgrain, Mahogany, and Fir grains.

Closed Cellular Structure

Ensures doorframe and molding will not absorb moisture and resists splitting, rotting and insect damage

Rigid poly fiber formulation

Our unique poly-fiber formulation provides durability, support and reliable

Twice the screw-holding power

Our unique formulation looks and feels like wood but is stronger and more durable

Easily machined

Machine, paint, or stain just like wood frames but without the wood hassles

Masonite Fiberglass Door Offerings

STC COMPLIANT / MASONITE FIRE-RATED / ADA

MASONITE

STC (Acoustical Performance)



- ▲ Managing and containing sound transmission is becoming more popular in both residential and commercial construction.
- ▲ Doors can be an important component when attempting to reduce the noise that is either entering or exiting a room or building.
- ▲ STC (Sound Transmission Class) are measurements of a door's ability to reduce the transmission of airborne noise. Higher STC values represent better noise reduction.

MAX SIZE	EXTERIOR DOOR UNITS WITH NO GLASS [†]	STC ¹	OITC ²
3/0 x 6/8	Barrington [®] , Belleville [®] with Foam Core	22	22
3/0 x 8/0	Barrington [®] , Belleville [®] with Particleboard Core	30	29

MAX SIZE	EXTERIOR DOOR UNITS WITH INSULATED GLASS	STC ¹	OITC ²
3/0 x 8/0	Vistagrande [®] Fiberglass Full Lite - Clear 1"	30	25
3/0 x 8/0	Vistagrande [®] Fiberglass Full Lite - Clear 1" with Single 1/4" Lami layer	32	29
3/0 x 8/0	Vistagrande [®] Fiberglass with Particleboard Core Full Lite - Clear 1"	32	26
3/0 x 8/0	Vistagrande [®] Fiberglass with Particleboard Core Full Lite - Clear 1" with Single 1/4" Lami layer	35	30

¹Sound Transmission Class

²Outdoor-Indoor Transmission Class

[†]Any opaque design

VISTAGRANDE[®] FIBERGLASS DOOR UNITS

ITEM	MAX DOOR SIZE	PANEL CORE CONSTRUCTION	GLAZING OPTION	STC ¹	OITC ²	UNIT TYPE	ACOUSTIC TEST REPORT
1	6/8	Urethane Foam core	26" Full lite clear 1" tempered	30	25	Operable	E5161.02-113-11
2	6/8	Urethane Foam core	26" Full lite clear 1" with lami	32	29	Operable	E5161.01-113-11-R0
3	6/8	Particleboard core	26" Full lite clear 1" tempered	32	26	Operable	h5905.02-113-11-r0
4	6/8	Particleboard core	26" Full lite clear 1" tempered	33	27	Inoperable	h5905.01-113-11-r0
5	6/8	Particleboard core	26" Full lite clear 1" with lami	35	30	Operable	h0862.01-113-11-r0
6	6/8	Particleboard core	26" Full lite clear 1" with lami	38	31	Inoperable	h0862.02-113-11-r0
7	6/8	Particleboard core	22" Full lite clear 1" with lami*	35	30	Operable	i3884.02-113-11-r0
8	6/8	Particleboard core	22" Full lite clear 1" with lami	36	31	Operable	i3885.02-113-11-r0
9	6/8	Particleboard core	22" Full lite clear 1" with lami*	38	31	Inoperable	i3884.01-113-11-r0
10	6/8	Particleboard core	22" Full lite clear 1" with lami	38	32	Inoperable	i3885.01-113-11-r0
11	8/0	Urethane Foam core	26" Full lite clear 1" tempered	30	25	Operable	E5161.02-113-11-R0
12	8/0	Urethane Foam core	26" Full lite clear 1" with lami	32	29	Operable	E5161.01-113-11-R0
13	8/0	Particleboard core	26" Full lite clear 1" tempered	32	26	Operable	h5905.02-113-11-r0
14	8/0	Particleboard core	26" Full lite clear 1" tempered	33	27	Inoperable	h5905.01-113-11-r0
15	8/0	Particleboard core	26" Full lite clear 1" with lami	35	30	Operable	h0862.01-113-11-r0
16	8/0	Particleboard core	26" Full lite clear 1" with lami	38	31	Inoperable	h0862.02-113-11-r0
17	8/0	Particleboard core	22" Full lite clear 1" with lami*	35	30	Operable	i3884.02-113-11-r0
18	8/0	Particleboard core	22" Full lite clear 1" with lami	36	31	Operable	i3885.02-113-11-r0
19	8/0	Particleboard core	22" Full lite clear 1" with lami*	38	31	Inoperable	i3884.01-113-11-r0
20	8/0	Particleboard core	22" Full lite clear 1" with lami	38	32	Inoperable	i3885.01-113-11-r0

FIBERGLASS DOOR UNITS

ITEM	MAX DOOR SIZE	PANEL CORE CONSTRUCTION	GLAZING OPTION	STC ¹	OITC ²	UNIT TYPE	ACOUSTIC TEST REPORT
21	6/8	Urethane Foam core	1/2 light decorative 1"	25	24	Operable	66071.01-113-11
22	6/8	Urethane Foam core	No Glass	22	22	Operable	66070.01-113-11
23	6/8	Particleboard core	No Glass	30	29	Operable	B1819.01-113-11
24	6/8	Urethane Foam core	Full lite clear 1/2" tempered	27	N/A	Operable	RAL-TL08-019
25	6/8	Urethane Foam core	Full lite decorative 1"	28	27	Operable	C1793.03-113-11
26	6/8	Urethane Foam core	Full lite clear 1" with lami	29	28	Operable	71333.01-113-11
27	6/8	Particleboard core	Full lite clear 1" with lami	35	31	Operable	A6241.01-113-11-A

Acoustical performance values determined in accordance with ASTM E90 Standard Test method for Laboratory Measurements of Airborne Sound Transmission Loss of Building Partitions. STC is calculated according to the algorithm described in ASTM E413 Classification of Rating Sound Installation. OITC is calculated according to the algorithm described in ASTM E1332 Standard classification for Determining of Outdoor-Indoor Transmission Class.

¹Sound Transmission Class

²Outdoor-Indoor Transmission Class

*ADA Sill

All testing was conducted at a certified independent laboratory. Units were assembled with Standard Masonite components (listed below) unless noted. Inswing adjustable sill, 4-9/16" wood jambs, foam compression weatherstrip, and bulb and fin sweep. Performance for smaller door sizes is taken to be equivalent to the performance measured for larger doors of the same construction.

MASONITE

FIRE-RATED



- ▲ Masonite offers 20-minute fire doors with the same on-trend architectural characteristics of our fiberglass portfolio.
- ▲ Masonite runs extensive testing at their R&D center to ensure the most stringent fire-rated building codes are met.
- ▲ 20-minute fire-rating must be specified when ordering.

MASONITE





ADA





- ▲ Masonite is proud to offer several door designs with 10" bottom rails.
- ▲ Complying with ADA (American Disabilities Act) standards the offerings are available in a number of steel and fiberglass designs to suit many styles of architecture.
- ▲ Masonite is continually creating new and innovative products that make every home more valuable and more enjoyable.
- ▲ Doors indicated as ADA eligible must be installed with ADA thresholds and ADA compliant hardware.


Exterior Door Fire Ratings









MASONITE FIRE-RATED / ADA

BARRINGTON® SIERRA® & FLAGSTAFF®		WIDTHS		
		2/8	2/10	3/0
	BSN – 2P camber-top			
	6/8			🔥
	8/0			🔥
	BSP – 2P plank camber-top			
	6/8			🔥
	8/0			🔥
	BSP – 1P plank camber-top			
	6/8			🔥
	8/0			🔥
	BFS – Flagstaff plank			
	6/8			🔥
	8/0			🔥

HERITAGE SERIES® FIR TEXTURED & SMOOTH		WIDTHS		
		2/8	2/10	3/0
	HFT – Craftsman 3P			
	6/8	🔥	🔥 ADA	🔥 ADA
	8/0	🔥	🔥 ADA	🔥 ADA
	HGS – Craftsman 3P			
	6/8	🔥	🔥 ADA	🔥 ADA
	8/0	🔥	🔥 ADA	🔥 ADA





BELLEVILLE® MAHOGANY TEXTURED		WIDTHS		
		2/8	2/10	3/0
	BMT – Cheyenne 2p plank			
	6/8	🔥	🔥	🔥
	BMT – 6P			
	6/8	🔥 Non Stock	🔥 Non Stock	🔥 Non Stock
	8/0	🔥 Non Stock	🔥 Non Stock	🔥 Non Stock


BELLEVILLE® FIR TEXTURED		WIDTHS		
		2/8	2/10	3/0
	BFT – 6P			
	6/8	🔥 Non Stock	🔥 Non Stock	🔥 Non Stock

VISTAGRANDE® TEXTURED & SMOOTH FLUSH-GLAZED		WIDTHS		
		2/8	2/10	3/0
	VFT / VSG – 426			
	6/8			ADA Non Stock
	VFT / VSG – 810			
	8/0		ADA Non Stock	ADA Non Stock
	VFT / VSG – 826			
	8/0			ADA Non Stock
	VFT / VSG – 926			
	6/8			ADA Non Stock
	8/0			ADA Non Stock
	VFT / VSG – 106			
	6/8		ADA Non Stock	ADA Non Stock
	VFT / VSG – 126			
	6/8			ADA Non Stock
	VFT / VSG – 122			
	6/8		ADA Non Stock	ADA Non Stock
	8/0		ADA Non Stock	ADA Non Stock
	VFT / VSG – 404			
	6/8		ADA Non Stock	ADA Non Stock

🔥 – 20-Minute Fire-Rated / ADA – ADA eligible door / Please specify Fire-Rating or ADA when ordering

20-Minute positive pressure Category B with hose steam / Non Stock – Door is Special Order, All other doors are In Stock.

BELLEVILLE® OAK TEXTURED		WIDTHS				
		2/0	2/6	2/8	2/10	3/0
	BLT - Flush					
	6/8	🔥 Non Stock	🔥	🔥	🔥 Non Stock	🔥
	7/0	🔥 Non Stock	🔥 Non Stock	🔥 Non Stock	🔥 Non Stock	🔥
	8/0	🔥 Non Stock	🔥 Non Stock	🔥 Non Stock	🔥 Non Stock	🔥
	BLT - 2P square					
	6/8			🔥	🔥	🔥
	8/0			🔥	🔥	🔥
	BLT - 4P new england					
	6/8			🔥	🔥 Non Stock	🔥
	BLT - 6P					
	6/8			🔥	🔥	🔥
	7/0			🔥 Non Stock	🔥 ADA Non Stock	🔥 ADA
	8/0			🔥 Non Stock	🔥 Non Stock	🔥

BELLEVILLE® SMOOTH		WIDTHS				
		2/0	2/6	2/8	2/10	3/0
	BLS - Flush					
	6/8	🔥 Non Stock	🔥	🔥	🔥 Non Stock	🔥
	7/0	🔥 Non Stock	🔥 Non Stock	🔥 Non Stock	🔥 Non Stock	🔥 Non Stock
	8/0	🔥 Non Stock	🔥 Non Stock	🔥 Non Stock	🔥 Non Stock	🔥 Non Stock
	BLS - 2P square					
	6/8			🔥	🔥	🔥
	8/0			🔥	🔥	🔥
	BLS - 2P roman					
	6/8			🔥	🔥 ADA	🔥 ADA
	8/0			🔥	🔥 ADA	🔥 ADA
	BLS - cheyenne 2p plank					
	6/8			🔥	🔥	🔥
	8/0			🔥	🔥	🔥
	BLS - 4P new england					
	6/8			🔥	🔥 Non Stock	🔥
	BLS - 6P					
	6/8			🔥	🔥	🔥
	7/0			🔥 Non Stock	🔥 ADA Non Stock	🔥 ADA
	8/0			🔥 Non Stock	🔥 Non Stock	🔥

Exterior Door & Glass Limited Warranty

MASONITE LIMITED WARRANTY

Masonite's products are designed and built to high industry standards and are warranted pursuant to the terms of this document.

This warranty applies to Products shipped by Masonite after August 1, 2019 that are installed in residential homes in the United States and Canada.

THIS WARRANTY IS NOT TRANSFERABLE.

THE RESIDENTIAL WARRANTY IS GRANTED ONLY TO THE ORIGINAL PURCHASER OF THE PRODUCT AND THE FIRST OWNER OF THE RESIDENTIAL HOME WHERE THE PRODUCT WAS ORIGINALLY INSTALLED. THE MULTI-RESIDENT WARRANTY IS GRANTED ONLY TO OWNER OF THE HOME OR BUILDING IN WHICH THE PRODUCT HAS BEEN INSTALLED AT THE TIME OF INSTALLATION (AND ITS BUILDER AND CONTRACTOR).

Subject to the terms stated herein, Masonite warrants that the products listed below ("Products") will be free from manufacturing defects in material and workmanship from the original date of shipment by Masonite until the end of the time periods outlined below.

RESIDENTIAL PRODUCT WARRANTY (Table 1)

MASONITE PRODUCT	Coverage
Fiberglass Doors Barrington®, Belleville®, Heritage Series®, Oakcraft®, and VistaGrande®	Lifetime*
Masonite Insulated Glass Decorative glass and Miniblinds	20 years

*The definition of "Lifetime" is as long as the original owner occupies the residential home where the Product was installed.

MULTI-RESIDENT PRODUCT WARRANTY (Table 2)

MASONITE PRODUCT	Coverage
Fiberglass Doors Barrington®, Belleville®, Heritage Series®, Oakcraft®, and VistaGrande®	5 years
Masonite Insulated Glass Decorative glass and Miniblinds	5 years

WARRANTY HOLDER CLASSIFICATIONS:

Residential Warranty Holders: If the Product is installed in (i) a new residential home and the first occupant owns the home or (ii) an existing owner-occupied residential home, and in each case, at the time of installation such owner is also responsible for Product replacement, then that owner is a Residential Warranty Holder. For example, assume the Product is installed in a condominium unit (a "home") in a multi-resident building. If the first occupant of the condominium unit is the first owner of that unit and is also responsible for Product replacement, then that owner is a Residential Warranty Holder; however, if the owner is not the first occupant or if someone else other than the owner (for example, the condominium association) is responsible for Product replacement, then the owner is not a Residential Warranty Holder.

Multi-resident Warranty Holders: If the Product is installed under conditions in which no one qualifies as a Residential Warranty Holder as described above, then the warranty holder is the owner of the home or building in which the Product has been installed at the time of installation (and its builder and contractor). That owner is classified as a Multi-Resident Warranty Holder. For example, this includes owners of multi-resident premises in which the occupant is not responsible (other than through periodic fees/other assessments) for Product replacement whether or not the occupant owns the residential home unit in the premises (including by example, certain condominiums, townhomes, duplexes, apartments, cooperatives).

WARRANTY EXCLUSIONS:

- Improper installation, storage, care, handling or finishing, including, without limitation, a failure to follow the instructions set forth below, that accompany the Product, or as posted on Masonite's website from time to time.
- Failure to properly maintain the Product.
- Exposure of the Product to chemicals, acid or fumes, air pollutants, such as acid rain.
- Damage caused by improper handling, storage, abuse, vandalism, misuse, impact by foreign objects, acts of God, fire, explosions or other casualty.
- Any damage resulting from air and water infiltration during severe weather conditions.
- Any failure of the structure/building/foundation into which the Product is installed.
- Any issue due to alteration of the Product by other parties (such as cut downs or light cutouts).
- Damage caused by not properly finishing the Product or not finishing it in a timely manner (45 days from date of Masonite's original shipment unless prefinished by Masonite).
- Lite Frames and SDL bars need to be finished to be covered under warranty.

- Masonite does not warrant hardware such as locksets or other hardware. A separate written warranty may be provided from the manufacturer and included in the materials that accompany a Pre-Hung Door Unit.
- The finish on any Masonite supplied hardware is not warranted and is purchased "as is".
- Variations in color or texture in any primed or pre-finished Product coating.
- Normal wear and tear or natural weathering of surfaces including weather-strip and sweep.
- Damage or defect arising from or related to improper field finishing of all sides, front, back and all edges of the Product.
- Slight expansion or contraction of door panels, jams and slabs due to varying environmental conditions.
- Structural integrity issues caused by improper installation of hardware or improper machining of the Product.
- Damage or poor Product performance resulting from the installation of Product in a condition that exceeds Product design standards or certified specs and/or does not conform to applicable building standards.
- Any warp, size, or squareness within the permitted tolerances including those listed below.
- Damage resulting from or related to a Product being installed behind a non-vented storm door or excessive heat due to being finished a dark color.
- Bubbles, lines, slight surfaced imperfections and slight discoloration are normal characteristics of fine hand-crafted glass and are not warranted.
- Acts of third parties.
- Non-uniformed fade or, color change after installation.

PERMITTED DOOR TOLERANCES

- Size:** Width, Height and Thickness +/- 1/16" of a door
- Squareness:** +/- 1/8" measured corner to corner across the door's diagonal plane.
- Warp:** No more than 1/4" of warp as measured across the plane of the door in a section no greater than 3-6 x 7-0 in 1-3/4" or 3-0 x 7-0 in a 1-3/8" door. For doors that are larger than 3-6 x 7-0 but no greater than 8-0 in height and 4-0 in width, the warp shall not exceed 1/4" in a 3' by 7' section.

Masonite may defer action on any claims for warping for a period of up to 12 months from date of the claim to allow the door slab to adjust to local humidity and temperature conditions. This often remedies the issue.

INSTALLATION INSTRUCTIONS:

Refer to the installation instructions that are provided with the Product or that are found on the Masonite website.

Depending on the region, some areas require additional fasteners to install the unit.

Please check with local building codes for additional installation information.

Installation of a Product within 5 miles of any body of salt water will reduce the Warranty period (Lifetime or Warranties of 15 years or greater will be limited to 10 years, other warranties will be reduced by 50%).

FINISHING INSTRUCTIONS:

Refer to the installation instructions and finishing instructions on the Masonite website. Also, follow the coating manufacturer's instructions carefully. Primer does not function as a sealer or moisture barrier and is not a coating.

Masonite recommends cleaning the Product a few times a year using mild detergent and warm water. Repainting or re-applying topcoat every 1 to 7 years will be required depending upon the weather exposure.

STORAGE, CARE & HANDLING INSTRUCTIONS:

The instructions below are highlights of certain storage, care and handling instructions. Other instructions may accompany the Product or be posted on Masonite's website and should also be followed:

1. When Products are received they must be inspected immediately for quality, including correct size, machining, and finish (if factory finished).

2. Unfinished doors and frames must be finished within 45 days of original purchase with a national brand exterior grade paint or stain.

3. Prior to installation, the door/unit shall be stored so that it is not exposed to the elements or allowed to sit in a damp area or standing water.

4. When storing door slabs, keep the doors stacked horizontally and fully supported on a level surface, do not lean the doors vertically against a wall or other structure. When stacking doors, keep the top door covered at all times with a cover sheet, plywood or cardboard.

5. Masonite ships certain Products with spacers. In order to prevent Product distortion, it is required that the packaging spacers remain until the Product is removed to be hung.

6. Pre-hung door units should be stored vertically and secured to avoid accidentally falling over.

HOW TO MAKE A CLAIM:

If you detect a warranty issue, please promptly notify the person or company from whom you purchased the Product or the residential home where the Product was installed and provide the following information:

1. Description of the Product and a photo of the defect;
2. Name and address of the location of the Product and, if installed, the builder and/or the installer;
3. Proof of Sale if you bought the door and, if not, the date you purchased the residential home or date it was installed;

4. Detailed explanation of the defect; and,

5. Statement that the defect was not caused by any of the exceptions listed in this warranty.

At Masonite's discretion, a warranty claim may be subject to site inspection.

REMEDY AND LIABILITY LIMITATION:

If a warranty issue is detected during the applicable warranty term, Masonite, in its sole discretion, will either a) repair or provide a replacement Product or component or b) will refund the original purchase price paid to Masonite for the product (Prorated price for glass see Table 3). The remaining warranty term for any replaced or repaired product will run from the date of the original door warranty. Masonite will not be liable for any labor, rehanging charges, painting/staining, installation, incidental, special or consequential damages or other costs under this warranty.

GLASS PRO-RATED WARRANTY (Table 3)

Period (years)	Charge to Customer	refund to customer
0-5	None	100%
6	20%	80%
7	30%	70%
8	40%	60%
9	50%	50%
10	60%	40%
11-15	70%	30%
16-20	80%	20%

MASONITE MAXIMUM LIABILITY IS LIMITED TO THE AMOUNT OF THE ORIGINAL PURCHASE PRICE PAID TO MASONITE. MASONITE IS NOT OBLIGATED AND THIS WARRANTY DOES NOT COVER THE COSTS OF LABOR, INSTALLATION OR FINISHING FOR ANY REPLACEMENT PRODUCT. THIS IS THE SOLE WARRANTY GRANTED TO ANY PARTY AND THERE ARE NO OTHER WARRANTIES GRANTED, EXPRESSED OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND MERCHANTABILITY. MOREOVER, IN NO EVENT WILL MASONITE BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Your rights may vary based on the laws in your state or province. If your state or province does not allow the exclusion of implied warranties, the length of any implied warranty shall be one year or the shortest time in excess of one year permitted under the applicable law. Similarly, if your state or province does not allow the exclusion of consequential, incidental or special damages, this limitation will not apply.

Unless Masonite agrees in writing to an alternative, any dispute under this warranty or related to the warranted Product, shall be resolved by mandatory arbitration administered by the American Arbitration

Association ("AAA") and governed by the Federal Arbitration Act, 9 U.S.C. section 1 et seq. as interpreted by the U.S. Supreme Court and the U.S. Court of Appeals for the Eleventh Circuit. Such an arbitration shall be before a single arbitrator and conducted under the AAA Consumer Arbitration Rules in effect at the time of the arbitration. The parties agree not to exercise any option to proceed in any small-claims court and waive any such right. Any in-person arbitral proceedings shall occur in Tampa, Florida. If the arbitrator decides, based on evidence submitted, that the specified venue would result in undue hardship to the person making the claim ("claimant"), then the arbitration will occur in a location more convenient for the claimant as specified by the arbitrator. Neither you nor Masonite will be entitled to join or consolidate claims in arbitration.

No representative of Masonite or any of its dealers or distributors has authority to modify this warranty or assume for Masonite any additional liability or responsibility in connection with this warranty. Only an officer of Masonite may vary the terms.

Prefinish Limited Warranty

EL & EL WOOD PRODUCTS LIMITED WARRANTY

15-Year Limited Residential Warranty

EL & EL PREFINISHED FIBERGLASS DOORS

EL & EL Wood Products in-house Prefinished Fiberglass Doors will not crack, peel, check or blister on the surface or lose adhesion for a period of fifteen years from the date of purchase. EL & EL will replace, repair or refund the original purchase price to replace any Prefinished Fiberglass Door failure under this warranty. Prehung Wood Frames are excluded from this warranty.

Failures or defects not covered under this warranty include, but are not limited to the following: improper packaging, handling, storage, installation, maintenance, cleaning products, or use of any top coat other than the manufactures recommended product, minor fading or exposure to harmful chemicals, fumes, vapors, scratches from pets or acts of God or any other cause of occurrence beyond the reasonable control of EL & EL Wood Products.

This warranty is applicable to the original purchaser and is not transferable. This warranty is for residential single family homes only. EL & EL Wood Products makes no other warranty and sole responsibility is stated herein. A written notification must be submitted to EL & EL Wood Products Corp. for any warranty claim and an inspection of the defective product may be required. This prefinish warranty will be declared void: if the prefinished door is purchased with no hinge prep, no bore prep, and/or if any additional machining or modification is done to the door in the field.



EL & EL Wood Products

Millwork that creates distinction.



EL & EL Wood Products

Moulding, Doors & So Much More

Moulding & More

Ultralight MDF Mouldings & Boards

Domestic MDF Mouldings & T&G

Solid & Primed FJ Pine Mouldings

Redwood & VG Fir Mouldings

White River™ Embossed & High Relief Mouldings

Hardwood Mouldings

(Cherry, Maple, Mahogany, Superior & Knotty Alder, Poplar, Oak, Walnut)

ValuFlex® Flexible Moulding

(Manufactured at EL & EL)

Bodyguard® Protected Primed FJ Mouldings

Bodyguard® Protected Exterior Trimboard & Siding

MiraTEC® & Extira® Treated Exterior Composite Trim & Shutter Board

Interior & Exterior Door Jambs & Frames
(Primed FJ & Solid Pine, Poplar, Engineered FG & VG Fir, Oak, Cherry, Alder, Mahogany, Walnut, Composite)

Weatherstrip, Flashing & Shims

Columns & Accessories

HB&G™ Columns & Porch Systems

Fypon® Polyurethane Beams & Accessories

Accessories
(Plinth Blocks, Rosets, Base Corners, Dowels)

Majestic Mantels® (Assembled at EL & EL)
Pre-built Shelves, Surrounds & Pilaster Kits

Pocket Door Frames
(Assembled at EL & EL)

Closet Material
(Shelving, Brackets, Poles, Edge Banding)

Doors – Interior & Exterior

(Pre-hanging Available)

Knotty Alder Doors

Masonite® Clear & Knotty Pine Doors

Primed MDF & Clear Pine Louver Doors

Masonite® Solid Core Hardboard Doors

Masonite® Moulded Panel Doors

Masonite® Fiberglass & Steel Exterior Doors
(Pre-hanging & Pre-finishing available)

Simpson® Interior & Exterior Doors

Shaker Doors (Primed, VG Fir & Alder)

Trimlite™ Decorative Glass

Barn Doors
(Knotty Alder, Knotty Pine & Primed MDF)

Barn Door Hardware
(Rustic & Stainless Steel)

CoxUSA™ Hardware Components

Masonite® Architectural Doors

RediFrame® & RediFlex® Steel Frames

Dormakaba™ Hollow Metal Doors & Frames

Lites & Louvers



Unparalleled Service

Next Day Delivery

Innovative Selection

Easy Ordering



EL & EL Wood Products

Millwork that creates distinction.



ElandELWoodProducts.com

Moulding, Doors & So Much More

